




贝斯特微信公众号



贝斯特官方视频号



贝斯特官方抖音号

山东贝斯特电动工具有限公司

Shandong Bester Power Tools Co., Ltd

Address: No. 3 Chaohe Road, North Economic Development Area,

RiZhao ShanDong, China

TEL/Wechat/WhatsApp: +86-15207139159 (Lilyyu)

Email: lilyyu@slbesttools.com

Web: www.slbesttools.com



产品图册

PRODUCTS CATALOG

山东贝斯特电动工具有限公司

Shandong Bester Power Tools Co., Ltd

COMPANY PROFILE

公司简介



山东贝斯特电动工具有限公司主要生产电机、电动工具、海洋船舶辅助设备，主要有六大类超百款系列产品，自主研发的工业级、专业级有刷、无刷、锂电角磨机，开槽机、直磨机、云石机、电锤、电镐、电钻等电动工具，主要应用于铸造业、机械加工、石材、木材、汽车、造船、航天器、高铁以及智能化园林剪草机等智能关键领域。

Shandong Bester Power Tools Co., Ltd. mainly produces motor, power tools, Marine auxiliary equipment, mainly six categories of nearly 100 series of products, independent research and development of industrial, professional brush, brushless, lithium battery Angle grinder, slotting machine, straight grinder, marble machine, electric hammer, hammer, drill, polishing machine and other power tools, It is mainly used in key intelligent fields such as casting industry, machining, stone, wood, automobile, shipbuilding,

贝斯特电动工具公司研发实力雄厚，拥有自己的研发团队和技术核心力量，在国内注册的“金科沃”商标产品投放市场后以其优良的产品性能深受用户好评，迅速在市场上占领了一席之地，成为山东内首家电动工具行业的标杆企业。With strong R & D capabilities Shandong Bester Power Tools Co.,Ltd has its own R & D team and technical core strength, registered in the domestic "Ginkgo" trademark products put on the market with its excellent product performance by users, quickly occupied a place in the market, become the first power tools industry benchmarking enterprises within Shandong province.

贝斯特电动工具公司隶属于山东华大金科集团，集团位于日照市市北经济技术开发区334省道东首，成立于2016年7月注册资金2000万，占地面积120余亩，设计建筑面积6万平方米。主要生产聚晶复合片材料、金刚石工具，产品广泛应用于航天器车刀、汽车发动机车刀、开采石油、天然气、煤炭的钻头和非金属切割工具，拥有冷压机、烧结炉、开刃机等主要生产设备300余台套。2017年集团公司通过ISO9001质量管理体系认证，2019年至今集团产品荣获国家专利达121项，目前还有13项发明、15项外观专利正在申请中，2020年被评为省级专精特新企业，2021年12月被评为省级高新技术企业，2021年获评日照市重点实验室，2022年获评日照市“瞪羚”企业。

Shandong Bester Power Tools Co., Ltd. belongs to Shandong Huada Jinke Group, which is located in the north of 334 Provincial Road, The North Economic and Technological Development Zone of Rizhao City. Established in July 2016, the registered capital of 20 million yuan, covers an area of more than 120 acre, and the design construction area of 60,000 square meters. Mainly produces polycrystalline composite sheet materials, diamond tools, products are widely used in spacecraft turning tools, automobile engine turning tools, oil, natural gas, coal drilling bits and non-metal cutting tools, with more than 300 sets of main production equipment such as cold press, sintering furnace, cutting machine. In 2017, the group company passed the ISO9001 quality management system certification. Since 2019, the Group's products have won 121 national patents, and there are 13 inventions and 15 appearance patents under application. In 2020, it has been rated as a provincial specialized and special new enterprise, and in December 2021, it



荣获多项国家专利

HAS BEEN AWARDED A NUMBER OF NATIONAL PATENTS

获得多项国际认证

HAS OBTAINED A NUMBER OF INTERNATIONAL CERTIFICATIONS



与大国重工同行，为中国制造聚力

WALK WITH HEAVY INDUSTRY POWERS, GATHER STRENGTH FOR MADE-IN-CHINA.

贝斯特电动工具，以军工级标准铸就硬核品质，凭借强悍动力、卓越耐用性与稳定可靠的表
Adhering to military-grade standards, Bester Power Tools delivers exceptional rugged quality. Boasting powerful performance, superior durability and reliable operation, we have
现，成为多家军工重工企业的战略合作伙伴。从
become a strategic partner to numerous military and heavy industry enterprises. From the
国之重器建造现场到国家级工程一线，我们无惧
construction of national key projects to frontline national-level engineering sites, we perform
严苛工况，始终高效稳定作业，用实力护航大国
efficiently and steadily even under the harshest conditions. We empower Made-in-China with
制造，以专业品质赢得高端制造领域的高度认可
solid strength, and earn wide recognition and long-term trust in the high-end manufacturing
与长久信赖。

sector through professional quality.



中国中铁



河南矿山
HENANMINE



SANY
三一重工




豪迈集团



产品质量检测体系

PRODUCT PRECISION TESTING SYSTEM



电流检测仪
Current Tester



压装高度检测
Press-Fitting Height Inspection



粗糙度检测仪
Surface Roughness Tester



偏摆仪
Runout Tester



电压检测仪
Voltage Tester



电机转子综合测试仪
Motor Rotor Comprehensive Tester

人机双检，为每台电动工具筑牢品质防线

我们建立“人机双检”出厂标准，先以专业设备对核心电机性能进行精准检测，确保动力输出、运行稳定性等关键指标达标。在此基础上，每台机器均需通过人工逐台复检，双重核验细节、排查隐患，以“机器测核心+人工控全程”的模式，让每台出厂的电动工具都兼具可靠性能与安心品质。

To ensure product quality, the company has invested millions to establish a professional precision testing center. It has introduced various precision equipment, including coordinate measuring machines, metallographic analysis and testing systems, and Rockwell hardness testers, covering comprehensive testing dimensions such as size, material, hardness, and roughness. From spare parts to core components, each one undergoes strict quality verification. We build a solid quality defense line with precise testing data, ensuring the reliable performance and outstanding quality of every power tool.



专业人员质量检测
Professional Quality Inspection

产品精测试体系

PRODUCT PRECISION TESTING SYSTEM



三坐标测量仪
Coordinate Measuring Machine

严守每一款电动工具核心配件的品质根基

Strictly Safeguarding the Quality Foundation of Core Components for Every Power Tool

贝斯特电动工具严守质量关，公司耗资数百万，建立专业精测试中心，
To ensure product quality, the company has invested millions to establish a professional precision testing center. It has introduced various
引入三坐标测量仪、金相分析检测系统、洛氏硬度计等多类精密设备，
precision equipment, including coordinate measuring machines, metallographic analysis and testing systems, and Rockwell hardness testers,
覆盖尺寸、材质、硬度、粗糙度等全维度检测。从零部件到核心组件，
covering comprehensive testing dimensions such as size, material, hardness, and roughness. From spare parts to core components, each one
逐一严苛核验质量，以精准检测数据筑牢品质防线，确保每款电动工具
undergoes strict quality verification. We build a solid quality defense line with precise testing data, ensuring the reliable performance and
的可靠性能与卓越品质。
outstanding quality of every power tool.



精测试中心
Precision Testing Center



金相分析检测系统
Metallographic Analysis and Testing System



配件全维度检测
Comprehensive Dimension Testing of Accessories



洛氏硬度计
Precision Testing Center

产品研发生产体系

PRODUCT R&D AND PRODUCTION SYSTEM

核心配件自研自产，品质标准全程掌控

自建加工中心与全自动注塑生产线，实现电动工具核心配件的自主研发与生产。从原材料甄选到生产工艺把控，再到成品精度核验，全流程自主掌控，杜绝外协环节的品质波动。以“自研自产”模式筑牢品质根基，确保每一件核心配件都符合高标准，为整机性能与可靠性保驾护航。

We've established our own processing centers and fully automated injection molding lines, enabling independent R&D and production of core power tool components. Controlling the entire process—from raw material selection, production process oversight to finished product precision inspection—eliminates outsourcing-related quality fluctuations. Our "independent R&D and production" model ensures every core component meets high standards, guaranteeing overall tool performance and reliability.



全自动注塑机

Professional Manual Quality Inspection



数控车削中心

CNC Turning Center



数控钻孔中心

CNC Drilling Center



数控加工中心

CNC Machining Center




数控加工中心

CNC Machining Center



聚能技术/高效省时/尊贵品质

Convergent technique/Efficient and time-saving/Noble quality



PRODUCT DIRECTORY

产品目录

交流工具角磨系列 AC TOOL ANGLE GRINDER SERIES

专业级G1001/S-750W.....	1
专业级G1015/S-750W.....	1
专业级G1007/S-800W.....	2
专业级G1009/S-900W.....	2
专业级G1000/S-1000W.....	2
工业级G1005/S-860W.....	3
工业级G1006/S-960W.....	4
工业级G1001/S-1010W.....	4
工业级G1002/S-1210W.....	4
工业级G1003/S-1310W.....	5
工业级G1016/S-1360W.....	5
工业级G1020/S-950W.....	5
工业级G1021/S-1010W.....	6
工业级G1008/T-1300W.....	6
工业级G1255/T-1300W.....	6
工业级G1251S-1010W.....	7
工业级G1252S-1210W.....	7
工业级G1253S-1310W.....	7
工业级GW6001-1300W.....	7
工业级GW6251-1300W.....	7
工业级GW6501-1300W.....	7
工业级G1011S-NA-750W.....	8
工业级G1085S-NA-850W.....	8
工业级G1001S-NA-1010W.....	8
工业级G1501/T-1800W.....	11
工业级G1502-1500W.....	11
工业级G1503-1400W.....	11
工业级G1801/A-3200W.....	11
工业级G1802/A-3200W.....	11

工业级G1803-2800W.....	12
工业级G1805-1800W.....	12
工业级G2301-3200W.....	12
工业级G2302-3200W.....	12

交流工具切割系列 AC TOOL CUTTING SERIES

工业级Q1851-2100W.....	14
工业级Q1852-2100W.....	14
工业级Q2001-3000W.....	14
工业级Q2002-3000W.....	14
工业级Q2115-3000W.....	15
工业级QW1853-2800W.....	15
工业级QW2003-3600W.....	15
工业级QW2115-4200W.....	15
工业级QW2230-4200W.....	15
工业级Q5115-1350W.....	15
工业级Q5125-1700W.....	16
工业级Q5135-1800W.....	16

交流工具研磨系列 AC TOOL GRINDING SERIES

工业级M2501/S-710W.....	17
专业级M2502/S-550W.....	17

交流工具锤镐钻系列 AC TOOL ELECTRIC HAMMER&PICK SERIES

工业级C3261-1050W.....	18
工业级C3281-1350W.....	18
工业级C3301-1650W.....	18
工业级H3351-1050W.....	18
工业级CJ3601-800W.....	18
工业级CJ3602-850W.....	18
工业级J6101-550W.....	19
工业级J6131-750W.....	19

交流工具抛光系列 AC TOOL POLISHING SERIES

工业级BST6115-1300W.....	20
工业级BST6215-1300W.....	20
工业级BST6121-1300W.....	20
工业级BST5115-1300W.....	20
工业级BST5215-1300W.....	21
工业级BST5121-1300W.....	21
工业级BST5221-1300W.....	21
工业级BST5180-1700W.....	21
工业级BST6150-1300W.....	21
工业级BST6170-1300W.....	21
工业级BST6180-1700W.....	22
工业级BST3120-1700W.....	22

交流工具型材切割系列 AC POWER CUT-OFF MACHINE SERIES

工业级G3551-3200W.....	23
工业级G3552-2800W.....	23
工业级G3553-2400W.....	23

交流工具墙面打磨系列 AC POWER WALL SANDING SERIES

工业级D7001-1050W.....	24
工业级D7003-750W.....	24
工业级D7005-1050W.....	24
工业级D7006-1050W.....	24

直流工具钻孔紧固系列 DC TOOL DRILLING AND FASTENING SERIES

SDZ1001-2/SDZ1301-2/SDJ1001-2/SDJ1301-2...	26
SDZ1002-4/SDZ1302-4/SDJ1002-4/SDJ1302-4...	26
SDB3801-4/SDB3801-6/SDB5501-4/SDB5501-6...	26
ADZ1001-2/BDZ1001-2/CDZ1001-2.....	27
ADZ1301-2/BDZ1301-2/CDZ1301-2.....	27
ADJ1001-2/BDJ1001-2/CDJ1001-2.....	27
ADJ1301-2/BDJ1301-2/CDJ1301-2.....	27

ADZ1002-2/BDZ1002-2/CDZ1002-2.....	28
ADZ1002-4/BDZ1002-4/CDJ1002-2.....	28
ADZ1302-2/BDZ1302-2/CDZ1002-2.....	28
ADZ1302-4/BDZ1302-4/CDJ1302-2.....	28
ADJ1002-2/BDJ1002-2.....	29
ADJ1002-4/BDJ1002-4.....	29
ADJ1302-2/BDJ1302-2.....	29
ADJ1302-4/BDJ1302-4.....	29
ADJ1003-4/BDJ1003-4.....	29
ADJ1303-4/BDJ1303-4.....	29
ADB3801-4/BDB3801-4/CDB3501-2.....	30
ADB3801-6/BDB3801-6/CDB3501-3.....	30
ADB5501-4/BDB5501-4/CDB5501-2.....	30
ADB5501-6/BDB5501-6/CDB5501-3.....	30
SDB1028-2/ADB1028-2.....	31
SDB1080-4/ADB1080-4.....	31
SDB1300-4/ADB1300-4.....	31
SDB2002-6/ADB2002-6.....	31
SQZ1800-2/AQZ1800-2.....	31

直流工具切割除尘系列 DC TOOL CUTTING AND DUST REMOVAL SERIES

工业级ODD1501.....	33
工业级ODD1502.....	33
工业级ODF1201.....	33
工业级ODF1202.....	33
工业级ODC2004.....	34
工业级ODC2604.....	34
工业级OAG7601.....	34
工业级OAG1025.....	34
工业级OAG1225.....	34
工业级ODL2001.....	35
工业级ODL2002.....	35
工业级ODL2003.....	36
工业级ODL2005.....	36
工业级ODL2006.....	36
工业级ODL2007.....	36



交流工具角磨系列
AC TOOL ANGLE GRINDER SERIES

TYPE **G100/115/125** 型

交流工具角磨系列

AC TOOL ANGLE GRINDER SERIES

G1011

专业级角磨机/Angle Grinder

- ◆防尘后置开关
- ◆Dust-proof rear switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



专业级
PROFESSIONAL LEVEL

G1011		额定功率 Rated Power	750W
额定转速 Rated Speed	11000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.47kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附 件 Accessories	扳手、防护罩		

G1011S

专业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



专业级
PROFESSIONAL LEVEL

G1011S		额定功率 Rated Power	750W
额定转速 Rated Speed	11000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.48kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附 件 Accessories	扳手、防护罩、辅助手柄		

G1015

专业级角磨机/Angle Grinder

- ◆防尘后置开关
- ◆Dust-proof rear switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



专业级
PROFESSIONAL LEVEL

G1015		额定功率 Rated Power	780W
额定转速 Rated Speed	11000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.47kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附 件 Accessories	扳手、防护罩		

G1015S

专业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



专业级
PROFESSIONAL LEVEL

G1015S		额定功率 Rated Power	780W
额定转速 Rated Speed	11000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.48kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附 件 Accessories	扳手、防护罩、辅助手柄		

G1000

专业级角磨机/Angle Grinder

- ◆防尘后置开关
- ◆Dust-proof rear switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



专业级
PROFESSIONAL LEVEL

G1000		额定功率 Rated Power	1000W
额定转速 Rated Speed	11000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.47kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附 件 Accessories	扳手、防护罩		

G1000S

专业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



专业级
PROFESSIONAL LEVEL

G1000S		额定功率 Rated Power	1000W
额定转速 Rated Speed	11000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.48kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附 件 Accessories	扳手、防护罩、辅助手柄		

G1007

专业级角磨机/Angle Grinder

- ◆防尘后置开关
- ◆Dust-proof rear switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



专业级
PROFESSIONAL LEVEL

G1007		额定功率 Rated Power	800W
额定转速 Rated Speed	11000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.47kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附 件 Accessories	扳手、防护罩		

G1007S

专业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



专业级
PROFESSIONAL LEVEL

G1007S		额定功率 Rated Power	800W
额定转速 Rated Speed	11000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.48kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附 件 Accessories	扳手、防护罩、辅助手柄		

G1009

专业级角磨机/Angle Grinder

- ◆防尘后置开关
- ◆Dust-proof rear switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



专业级
PROFESSIONAL LEVEL

G1009		额定功率 Rated Power	900W
额定转速 Rated Speed	11000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.47kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附 件 Accessories	扳手、防护罩		

G1009S

专业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



专业级
PROFESSIONAL LEVEL

G1009S		额定功率 Rated Power	900W
额定转速 Rated Speed	11000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.48kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附 件 Accessories	扳手、防护罩、辅助手柄		

切割省时 打磨轻快 抛光精细

Cutting time saving Polishing light and fast Polished fine



高效率、省时、省力

HIGH EFFICIENCY TIME AND LABOR SAVING



握持舒适

COMFORTABLE GRIP



耐用持久

DURABLE IN USE

工业级
INDUSTRIAL
LEVEL

G1006

工业级角磨机/Angle Grinder

- ◆防尘后置开关
- ◆Dust-proof rear switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



工业级
INDUSTRIAL
LEVEL

G1006		额定功率 Rated Power	960W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.65kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩		

G1006S

工业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



工业级
INDUSTRIAL
LEVEL

G1006S		额定功率 Rated Power	960W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.66kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G1001

工业级角磨机/Angle Grinder

- ◆防尘后置开关
- ◆Dust-proof rear switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



工业级
INDUSTRIAL
LEVEL

G1001		额定功率 Rated Power	1010W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.67kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩		

G1001S

工业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



工业级
INDUSTRIAL
LEVEL

G1001S		额定功率 Rated Power	1010W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.68kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G1005

工业级角磨机/Angle Grinder

- ◆防尘后置开关
- ◆Dust-proof rear switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



工业级
INDUSTRIAL
LEVEL

G1005		额定功率 Rated Power	860W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.56kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩		

G1005S

工业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



工业级
INDUSTRIAL
LEVEL

G1005S		额定功率 Rated Power	860W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.57kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G1002

工业级角磨机/Angle Grinder

- ◆防尘后置开关
- ◆Dust-proof rear switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



工业级
INDUSTRIAL
LEVEL

G1002		额定功率 Rated Power	1210W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.7kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩		

G1002S

工业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



工业级
INDUSTRIAL
LEVEL

G1002S		额定功率 Rated Power	1210W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.71kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G1003

工业级角磨机/Angle Grinder

- ◆防尘后置开关
- ◆Dust-proof rear switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

工业级
INDUSTRIAL
LEVEL

G1003		额定功率 Rated Power	1310W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V	产品重量 Product Weight	1.72kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩		

G1003S

工业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

工业级
INDUSTRIAL
LEVEL

G1003S		额定功率 Rated Power	1310W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.73kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G1021

工业级角磨机/Angle Grinder

- ◆防尘后置开关
- ◆Dust-proof rear switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

超细
机身

G1021		额定功率 Rated Power	1010W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.7kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩		

G1021S

工业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

超细
机身

G1021S		额定功率 Rated Power	1010W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.72kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G1016

工业级角磨机/Angle Grinder

- ◆防尘后置开关
- ◆Dust-proof rear switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

工业级
INDUSTRIAL
LEVEL

G1016		额定功率 Rated Power	1360W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.74kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩		

G1016S

工业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

工业级
INDUSTRIAL
LEVEL

G1016S		额定功率 Rated Power	1360W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.75kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G1008

工业级角磨机 /Angle Grinder

- ◆大功率聚能电机 更高效更省时省力
- ◆High-power concentrated energy motor for higher efficiency and time-saving
- ◆高品质配件耐用持久
- ◆High-quality accessories for durability
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

工业级
INDUSTRIAL
LEVEL

G1008		额定功率 Rated Power	1300W
额定转速 Rated Speed	11000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.75kg
载片直径 Carrier Diameter	100/115/125mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩		

G1008T

工业级角磨机/Angle Grinder

- ◆大功率聚能电机 更高效更省时省力
- ◆High-power concentrated energy motor for higher efficiency and time-saving
- ◆高品质配件耐用持久
- ◆High-quality accessories for durability
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

调速款
Speed Regulation

G1008T		额定功率 Rated Power	1300W
额定转速 Rated Speed	3000-11000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.75kg
载片直径 Carrier Diameter	100/115/125mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩		

G1020

工业级角磨机/Angle Grinder

- ◆防尘后置开关
- ◆Dust-proof rear switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

超细
机身

G1020		额定功率 Rated Power	950W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.7kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩		

G1020S

工业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

超细
机身

G1020S		额定功率 Rated Power	950W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.72kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G1255

工业级角磨机/Angle Grinder

- ◆大功率聚能电机 更高效更省时省力
- ◆High-power concentrated energy motor for higher efficiency and time-saving
- ◆高品质配件耐用持久
- ◆High-quality accessories for durability
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

工业级
INDUSTRIAL
LEVEL

G1255		额定功率 Rated Power	1300W
额定转速 Rated Speed	10000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.87kg
载片直径 Carrier Diameter	125mm	包装尺寸 Package Size	500×115×95
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	6pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G1255T

工业级角磨机/Angle Grinder

- ◆大功率聚能电机 更高效更省时省力
- ◆High-power concentrated energy motor for higher efficiency and time-saving
- ◆高品质配件耐用持久
- ◆High-quality accessories for durability
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

调速款
Speed Regulation

G1255T		额定功率 Rated Power	1300W
额定转速 Rated Speed	3000-10000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.87kg
载片直径 Carrier Diameter	125mm	包装尺寸 Package Size	500×115×95
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	6pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G1251S

工业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

工业级
INDUSTRIAL
LEVEL

G1251S		额定功率 Rated Power	1010W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.82kg
载片直径 Carrier Diameter	125mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G1252S

工业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

工业级
INDUSTRIAL
LEVEL

G1252S		额定功率 Rated Power	1210W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.83kg
载片直径 Carrier Diameter	125mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G1253S

工业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

工业级
INDUSTRIAL
LEVEL

G1253S		额定功率 Rated Power	1310W
额定转速 Rated Speed	12000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.84kg
载片直径 Carrier Diameter	125mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	8pcs
附 件 Accessories	扳手、防护罩、辅助手柄		

GW6001

工业级无刷角磨机/Brushless Slotting Machine

- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆高压无刷电机，释放强悍动力
- ◆High voltage brushless motor releases powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

无刷调速款
Brushless
Speed Regulation

GW6001		额定功率 Rated Power	1300W
额定转速 Rated Speed	3000-10000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.7kg
载片直径 Carrier Diameter	100/115mm	包装尺寸 Package Size	370×122×90
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	10pcs
附件 Accessories	扳手、防护罩、辅助手柄		

GW6251

工业级无刷角磨机/Brushless Slotting Machine

- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆高压无刷电机，释放强悍动力
- ◆High voltage brushless motor releases powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

无刷调速款
Brushless
Speed Regulation

GW6251		额定功率 Rated Power	1300W
额定转速 Rated Speed	3000-10000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.72kg
载片直径 Carrier Diameter	125mm	包装尺寸 Package Size	370×122×90
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	10pcs
附件 Accessories	扳手、防护罩、辅助手柄		

GW6501

工业级无刷角磨机/Brushless Slotting Machine

- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆高压无刷电机，释放强悍动力
- ◆High voltage brushless motor releases powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

无刷调速款
Brushless
Speed Regulation

GW6501		额定功率 Rated Power	1300W
额定转速 Rated Speed	3000-10000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.74kg
载片直径 Carrier Diameter	150mm	包装尺寸 Package Size	370×122×90
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	10pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G1011S-NA

工业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



G1011S-NA		额定功率 Rated Power	750W
额定转速 Rated Speed	11000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	110V-120V~	产品重量 Product Weight	1.72kg
载片直径 Carrier Diameter	100/115/125mm	包装尺寸 Package Size	350×122×90
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附 件 Accessories	扳手、防护罩、辅助手柄		

G1085S-NA

工业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



G1085S-NA		额定功率 Rated Power	850W
额定转速 Rated Speed	11000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	110V-120V~	产品重量 Product Weight	1.72kg
载片直径 Carrier Diameter	100/115/125mm	包装尺寸 Package Size	350×122×90
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附 件 Accessories	扳手、防护罩、辅助手柄		

G1001S-NA


工业级角磨机/Angle Grinder

- ◆便捷侧开关
- ◆Convenient side switch
- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



G1001S-NA		额定功率 Rated Power	1010W
额定转速 Rated Speed	11000r/min	开关类别 Switch Category	侧开关
额定电压 Rated Voltage	110V-120V~	产品重量 Product Weight	1.72kg
载片直径 Carrier Diameter	100/115/125mm	包装尺寸 Package Size	350×122×90
主轴直径 Spindle Diameter	M10/M14	装箱数量 Packing quantity	8pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G100/115/125型 交流角磨机性能总览



产品型号 Product Modl	额定功率 Rated Power	额定转速 Rated Speed	额定电压 Rated Voltage	载片直径 Carrier Diameter	主轴直径 Spindle Diameter	开关类别 Switch Category	产品重量 Product Weight	包装尺寸 Package Size	装箱数量 Packing quantity
G1011	750W	11000r/min	220V-230V~	100/115mm	M10/M14	后置开关 Rear Switch	1.47kg	350×122×88mm	8pcs
G1011S	750W	11000r/min	220V-230V~	100/115mm	M10/M14	侧开关 Side Switch	1.48kg	350×122×88mm	8pcs
G1015	780W	11000r/min	220V-230V~	100/115mm	M10/M14	后置开关 Rear Switch	1.47kg	350×122×88mm	8pcs
G1015S	780W	11000r/min	220V-230V~	100/115mm	M10/M14	侧开关 Side Switch	1.48kg	350×122×88mm	8pcs
G1007	800W	11000r/min	220V-230V~	100/115mm	M10/M14	后置开关 Rear Switch	1.47kg	350×122×88mm	8pcs
G1007S	800W	11000r/min	220V-230V~	100/115mm	M10/M14	侧开关 Side Switch	1.48kg	350×122×88mm	8pcs
G1009	900W	11000r/min	220V-230V~	100/115mm	M10/M14	后置开关 Rear Switch	1.47kg	350×122×88mm	8pcs
G1009S	900W	11000r/min	220V-230V~	100/115mm	M10/M14	侧开关 Side Switch	1.48kg	350×122×88mm	8pcs
G1000	1000W	11000r/min	220V-230V~	100/115mm	M10/M14	后置开关 Rear Switch	1.47kg	350×122×88mm	8pcs
G1000S	1000W	11000r/min	220V-230V~	100/115mm	M10/M14	侧开关 Side Switch	1.48kg	350×122×88mm	8pcs
G1005	860W	12000r/min	220V-230V~	100/115mm	M10/M14	后置开关 Rear Switch	1.56kg	350×122×88mm	8pcs
G1005S	860W	12000r/min	220V-230V~	100/115mm	M10/M14	侧开关 Side Switch	1.57kg	350×122×88mm	8pcs
G1006	760W	12000r/min	220V-230V~	100/115mm	M10/M14	后置开关 Rear Switch	1.52kg	350×122×88mm	8pcs
G1006S	760W	12000r/min	220V-230V~	100/115mm	M10/M14	侧开关 Side Switch	1.53kg	350×122×88mm	8pcs
G1001	1010W	12000r/min	220V-230V~	100/115mm	M10/M14	后置开关 Rear Switch	1.67kg	350×122×88mm	8pcs
G1001S	1010W	12000r/min	220V-230V~	100/115mm	M10/M14	侧开关 Side Switch	1.68kg	350×122×88mm	8pcs
G1002	1210W	12000r/min	220V-230V~	100/115mm	M10/M14	后置开关 Rear Switch	1.7kg	350×122×88mm	8pcs
G1002S	1210W	12000r/min	220V-230V~	100/115mm	M10/M14	侧开关 Side Switch	1.71kg	350×122×88mm	8pcs
G1003	1310W	12000r/min	220V-230V~	100/115mm	M10/M14	后置开关 Rear Switch	1.72kg	350×122×88mm	8pcs
G1003S	1310W	12000r/min	220V-230V~	100/115mm	M10/M14	侧开关 Side Switch	1.73kg	350×122×88mm	8pcs
G1020	950W	12000r/min	220V-230V~	100/115mm	M10/M14	后置开关 (超细手柄) Rear switch (ultra-slim handle)	1.7kg	350×122×88mm	8pcs
G1020S	950W	12000r/min	220V-230V~	100/115mm	M10/M14	侧开关 Side switch (ultra-slim handle)	1.71kg	350×122×88mm	8pcs
G1021	1010W	12000r/min	220V-230V~	100/115mm	M10/M14	后置开关 (超细手柄) Rear switch (ultra-slim handle)	1.72kg	350×122×88mm	8pcs
G1021S	1010W	12000r/min	220V-230V~	100/115mm	M10/M14	侧开关 Side switch (ultra-slim handle)	1.73kg	350×122×88mm	8pcs
G1016	1360W	12000r/min	220V-230V~	100/115mm	M10/M14	后置开关 Rear Switch	1.74kg	350×122×88mm	8pcs
G1016S	1360W	12000r/min	220V-230V~	100/115mm	M10/M14	侧开关 Side Switch	1.75kg	350×122×88mm	8pcs
G1008	1300W	11000r/min	220V-230V~	100/115/125mm	M10/M14	后置开关 Rear Switch	1.75kg	350×122×88mm	8pcs
G1008T	1300W	3000-11000r/min	220V-230V~	100/115/125mm	M10/M14	后置开关 Rear switch with variable speed	1.75kg	350×122×88mm	8pcs
G1255	1300W	10000r/min	220V-230V~	125mm	M14	后置开关 Rear Switch	1.87kg	500×115×95mm	6pcs
G1255T	1300W	3000-10000r/min	220V-230V~	125mm	M14	后置开关 Rear switch with variable speed	1.87kg	500×115×95mm	6pcs
G1251S	1010W	12000r/min	220V-230V~	125mm	M14	侧开关 Side Switch	1.82kg	350×122×88mm	8pcs
G1252S	1210W	12000r/min	220V-230V~	125mm	M14	侧开关 Side Switch	1.83kg	350×122×88mm	8pcs
G1253S	1310W	12000r/min	220V-230V~	125mm	M14	侧开关 Side Switch	1.84kg	350×122×88mm	8pcs
GW6001	1300W	3000-10000r/min	220V-230V~	100/115mm	M10/M14	无刷调速款 Brushless Variable Speed	1.7kg	370×122×90mm	8pcs
GW6251	1300W	3000-10000r/min	220V-230V~	125mm	M14	无刷调速款 Brushless Variable Speed	1.87kg	370×122×90mm	8pcs
GW6501	1300W	3000-10000r/min	220V-230V~	150mm	M14	无刷调速款 Brushless Variable Speed	1.97kg	370×122×90mm	8pcs



聚能聚力重型 动力强悍无比
Poly energy Poly power heavy power is very powerful

TYPE **G150/180/230** 型

G1501

工业级角磨机/ Angle Grinder

- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆细机尾握柄 握持舒适
- ◆Slim rear handle for comfortable grip
- ◆多方位辅助手柄
- ◆Multi-directional auxiliary handle
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

工业级
INDUSTRIAL
LEVEL

额定转速 Rated Speed	9000r/min	额定功率 Rated Power	1800W
开关类别 Switch Category	后置开关	产品重量 Product Weight	4.7kg
额定电压 Rated Voltage	220V-230V~	包装尺寸 Package Size	520×105×135
载片直径 Carrier Diameter	150mm	装箱数量 Packing quantity	6pcs
主轴直径 Spindle Diameter	M14	附件 Accessories	扳手、防护罩、辅助手柄

G1501T

工业级角磨机/ Angle Grinder

- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆细机尾握柄 握持舒适
- ◆Slim rear handle for comfortable grip
- ◆多方位辅助手柄
- ◆Multi-directional auxiliary handle
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

调速款
Speed Regulation

额定转速 Rated Speed	3000-9000r/min	额定功率 Rated Power	1800W
开关类别 Switch Category	后置开关	产品重量 Product Weight	4.7kg
额定电压 Rated Voltage	220V-230V~	包装尺寸 Package Size	520×105×135
载片直径 Carrier Diameter	150mm	装箱数量 Packing quantity	6pcs
主轴直径 Spindle Diameter	M14	附件 Accessories	扳手、防护罩、辅助手柄

G1502

工业级角磨机/ Angle Grinder

- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆细机尾握柄 握持舒适
- ◆Slim rear handle for comfortable grip
- ◆多方位辅助手柄
- ◆Multi-directional auxiliary handle
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

工业级
INDUSTRIAL
LEVEL

G1502		额定功率 Rated Power	1500W
额定转速 Rated Speed	9500r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	1.95kg
载片直径 Carrier Diameter	150mm	包装尺寸 Package Size	350×122×88
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	8pcs
附 件 Accessories	扳手、防护罩、辅助手柄		

G1503

工业级角磨机/ Angle Grinder

- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆细机尾握柄 握持舒适
- ◆Slim rear handle for comfortable grip
- ◆多方位辅助手柄
- ◆Multi-directional auxiliary handle
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

工业级
INDUSTRIAL
LEVEL

G1503		额定功率 Rated Power	1400W
额定转速 Rated Speed	10000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	2.1kg
载片直径 Carrier Diameter	150mm	包装尺寸 Package Size	500×115×95
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	6pcs
附 件 Accessories	扳手、防护罩、辅助手柄		

G1803

工业级角磨机/ Angle Grinder

- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆防震软皮握手 自锁开关
- ◆Slim handle equipped with a self-locking switch
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

工业级
INDUSTRIAL
LEVEL

G1803		额定功率 Rated Power	2800W
额定转速 Rated Speed	8400r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	4.2kg
载片直径 Carrier Diameter	180mm	包装尺寸 Package Size	540×145×120
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	4pcs
附 件 Accessories	扳手、防护罩、辅助手柄		

G1805

工业级角磨机/ Angle Grinder

- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆细机尾握柄 握持舒适
- ◆Slim rear handle for comfortable grip
- ◆多方位辅助手柄
- ◆Multi-directional auxiliary handle
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

调速款
Speed Regulation

G1805		额定功率 Rated Power	1800W
额定转速 Rated Speed	3000-9000r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	4.7kg
载片直径 Carrier Diameter	180mm	包装尺寸 Package Size	520×105×135
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	6pcs
附 件 Accessories	扳手、防护罩、辅助手柄		

G1801

工业级角磨机/ Angle Grinder

- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆防震软皮握手 自锁开关
- ◆Slim handle equipped with a self-locking switch
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

工业级
INDUSTRIAL
LEVEL

G1801		额定功率 Rated Power	3200W
额定转速 Rated Speed	8400r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	6.23kg
载片直径 Carrier Diameter	180mm	包装尺寸 Package Size	570×182×135
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	4pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G1801A

工业级角磨机/ Angle Grinder

- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆防震软皮握手 自锁开关
- ◆Slim handle equipped with a self-locking switch
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

工业级
INDUSTRIAL
LEVEL

G1801A		额定功率 Rated Power	3200W
额定转速 Rated Speed	8400r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	6.23kg
载片直径 Carrier Diameter	180mm	包装尺寸 Package Size	570×182×135
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	4pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G2301

工业级角磨机/ Angle Grinder

- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆防震软皮握手 自锁开关
- ◆Slim handle equipped with a self-locking switch
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

工业级
INDUSTRIAL
LEVEL

G2301		额定功率 Rated Power	3200W
额定转速 Rated Speed	6500r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	6.25kg
载片直径 Carrier Diameter	230mm	包装尺寸 Package Size	570×182×135
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	4pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G2302

工业级角磨机/ Angle Grinder

- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆防震软皮握手 自锁开关
- ◆Slim handle equipped with a self-locking switch
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

专业级
PROFESSIONAL
LEVEL

G2302		额定功率 Rated Power	3000W
额定转速 Rated Speed	6500r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	6.25kg
载片直径 Carrier Diameter	230mm	包装尺寸 Package Size	570×182×135
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	4pcs
附 件 Accessories	扳手、防护罩、辅助手柄		

G1802

专业级角磨机/ Angle Grinder

- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆防震软皮握手 自锁开关
- ◆Slim handle equipped with a self-locking switch
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

专业级
PROFESSIONAL
LEVEL

G1802		额定功率 Rated Power	3000W
额定转速 Rated Speed	8400r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	6.23kg
载片直径 Carrier Diameter	180mm	包装尺寸 Package Size	570×182×135
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	4pcs
附件 Accessories	扳手、防护罩、辅助手柄		

G1802A

专业级角磨机/ Angle Grinder


- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆防震软皮握手 自锁开关
- ◆Slim handle equipped with a self-locking switch
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating

专业级
PROFESSIONAL
LEVEL

G1802A		额定功率 Rated Power	3000W
额定转速 Rated Speed	8400r/min	开关类别 Switch Category	后置开关
额定电压 Rated Voltage	220V-230V~	产品重量 Product Weight	6.23kg
载片直径 Carrier Diameter	180mm	包装尺寸 Package Size	570×182×135
主轴直径 Spindle Diameter	M14	装箱数量 Packing quantity	4pcs
附件 Accessories	扳手、防护罩、辅助手柄		

高银材质
换向器含银量
提升25%聚能电机
铜线量
增加30%长度更长
转子长度
增加20%直径更大
转子直径
增加15%

G150/180/230型 交流角磨机性能总览



产品型号 Product Model	额定功率 Rated Power	额定转速 Rated Speed	额定电压 Rated Voltage	载片直径 Carrier Diameter	主轴直径 Spindle Diameter	开关类别 Switch Category	产品重量 Product Weight	包装尺寸 Package Size	装箱数量 Packing quantity
G1501	1800W	9000r/min	220V-230V~	150mm	M14	后置开关 Rear Switch	4.7kg	520×105×135mm	6pcs
G1501T	1800W	3000-9000r/min	220V-230V~	150mm	M14	后置开关 Rear Switch (Variable Speed)	4.7kg	520×105×135mm	6pcs
G1502	1500W	9500r/min	220V-230V~	150mm	M14	后置开关 Rear Switch (150 Lightweight Upgraded Version)	1.95kg	350×122×88mm	8pcs
G1503	1400W	10000r/min	220V-230V~	150mm	M14	后置开关 Rear Switch (150 Lightweight Upgraded Version)	2.1kg	500×115×95mm	6pcs
G1801	3200W	8400r/min	220V-230V~	180mm	M14	后置开关 Rear Switch	6.23kg	570×182×135mm	4pcs
G1801A	3200W	8400r/min	220V-230V~	180mm	M14	后置开关 Rear Switch	6.23kg	570×182×135mm	4pcs
G1802	3000W	8400r/min	220V-230V~	180mm	M14	后置开关 Rear Switch	6.23kg	570×182×135mm	4pcs
G1802A	3000W	8400r/min	220V-230V~	180mm	M14	后置开关 Rear Switch	6.23kg	570×182×135mm	4pcs
G1803	2800W	8400r/min	220V-230V~	180mm	M14	后置开关 Rear Switch	4.2kg	540×145×120mm	4pcs
G1805	3200W	3000-9000r/min	220V-230V~	180mm	M14	后置开关 Rear Switch (180 Lightweight Upgraded Version)	4.7kg	520×105×135mm	6pcs
G2301	3200W	6500r/min	220V-230V~	230mm	M14	后置开关 Rear Switch	6.25kg	570×182×135mm	4pcs
G2302	3000W	6500r/min	220V-230V~	230mm	M14	后置开关 Rear Switch	6.25kg	570×182×135mm	4pcs



交流工具切割系列 AC TOOL CUTTING SERIES

Q1851

重载开槽机/Slotting Machine

- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆断电保护 自锁开关 软启动
- ◆Power failure protection self-locking switch soft start
- ◆360度机头旋转可正反切割
- ◆360-degree rotating head for forward and reverse cutting



Q1851

额定功率 Rated Power	2100W	切割深度 Max cut depth	58mm
额定转速 Rated Speed	7500r/min	产品重量 Product Weight	4.4kg
额定电压 Rated Voltage	220V-230V~	包装尺寸 Package Size	460×160×260
载片直径 Carrier Diameter	190mm	装箱数量 Packing quantity	2pcs
附件 Accessories	紧固套件、水罩、水管		

软启动保护
断电保护
过载保护

Q1852

重载开槽机/Slotting Machine

- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆高品质配件耐用持久
- ◆High-quality accessories for durability
- ◆360度机头旋转可正反切割
- ◆360-degree rotating head for forward and reverse cutting



Q1852

额定功率 Rated Power	2100W	切割深度 Max cut depth	58mm
额定转速 Rated Speed	7500r/min	产品重量 Product Weight	4.4kg
额定电压 Rated Voltage	220V-230V~	包装尺寸 Package Size	460×160×260
载片直径 Carrier Diameter	190mm	装箱数量 Packing quantity	2pcs
附件 Accessories	紧固套件、水罩、水管		

工业级
INDUSTRIAL
LEVEL

Q2001

重载开槽机/Slotting machine

- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆断电保护 自锁开关 软启动
- ◆Power failure protection self-locking switch soft start
- ◆360度机头旋转可正反切割
- ◆360-degree rotating head for forward and reverse cutting



Q2001

额定功率 Rated Power	3000W	切割深度 Max cut depth	68mm
额定转速 Rated Speed	9000r/min	产品重量 Product Weight	6.2kg
额定电压 Rated Voltage	220V-230V~	包装尺寸 Package Size	460×160×260
载片直径 Carrier Diameter	210mm	装箱数量 Packing quantity	2pcs
附件 Accessories	紧固套件、水罩、水管		

软启动保护
断电保护
过载保护

Q2002

重载开槽机/Slotting machine

- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆高品质配件耐用持久
- ◆High-quality accessories for durability
- ◆360度机头旋转可正反切割
- ◆360-degree rotating head for forward and reverse cutting



Q2002

额定功率 Rated Power	3000W	切割深度 Max cut depth	68mm
额定转速 Rated Speed	9000r/min	产品重量 Product Weight	6.2kg
额定电压 Rated Voltage	220V-230V~	包装尺寸 Package Size	460×160×260
载片直径 Carrier Diameter	210mm	装箱数量 Packing quantity	2pcs
附件 Accessories	紧固套件、水罩、水管		

工业级
INDUSTRIAL
LEVEL

Q2115

重载开槽机/Slotting machine

- ◆大功率聚能电机 释放强悍动力
- ◆Energy-gathered motor release powerful power
- ◆断电保护 自锁开关 软启动
- ◆Power failure protection self-locking switch soft start
- ◆360度机头旋转可正反切割
- ◆360-degree rotating head for forward and reverse cutting

软启动保护
断电保护
过载保护

Q2115	
额定功率 Rated Power	3000W
切割深度 Max cut depth	75mm
额定转速 Rated Speed	8000r/min
产品重量 Product Weight	6.2kg
额定电压 Rated Voltage	220V-230V~
包装尺寸 Package Size	460×160×260
载片直径 Carrier Diameter	215mm
装箱数量 Packing quantity	2pcs
附件 Accessories	紧固套件、水罩、水管

QW1853

重载无刷开槽机/Brushless Slotting Machine

- ◆轻小机身 无刷聚能电机 永不烧机
- ◆Lightweight and small body brushless concentrated energy motor never burns out
- ◆恒稳功率恒稳转速高效省时
- ◆Constant power and stable speed for efficient and time-saving operation
- ◆360度机头旋转可正反切割
- ◆360-degree rotating head for forward and reverse cutting

软启动保护
断电保护
过载保护

QW1853	
额定功率 Rated Power	2800W
切割深度 Max cut depth	65mm
额定转速 Rated Speed	8700r/min
产品重量 Product Weight	2.15kg
额定电压 Rated Voltage	220V-230V~
包装尺寸 Package Size	480×130×205
载片直径 Carrier Diameter	185mm
装箱数量 Packing quantity	6pcs
附件 Accessories	紧固套件、水罩、水管

QW2003

重载无刷开槽机/Brushless Slotting Machine

- ◆轻小机身 无刷聚能电机 永不烧机
- ◆Lightweight and small body brushless concentrated energy motor never burns out
- ◆恒稳功率恒稳转速高效省时
- ◆Constant power and stable speed for efficient and time-saving operation
- ◆360度机头旋转可正反切割
- ◆360-degree rotating head for forward and reverse cutting

软启动保护
断电保护
过载保护

QW2003	
额定功率 Rated Power	3600W
切割深度 Max cut depth	68mm
额定转速 Rated Speed	8000r/min
产品重量 Product Weight	2.2kg
额定电压 Rated Voltage	220V-230V~
包装尺寸 Package Size	480×130×205
载片直径 Carrier Diameter	200mm
装箱数量 Packing quantity	6pcs
附件 Accessories	紧固套件、水罩、水管

QW2115

重载无刷开槽机/Brushless Slotting Machine

- ◆轻小机身 无刷聚能电机 永不烧机
- ◆Lightweight and small body brushless concentrated energy motor never burns out
- ◆恒稳功率恒稳转速高效省时
- ◆Constant power and stable speed for efficient and time-saving operation
- ◆360度机头旋转可正反切割
- ◆360-degree rotating head for forward and reverse cutting

软启动保护
断电保护
过载保护

QW2115	
额定功率 Rated Power	4200W
切割深度 Max cut depth	75mm
额定转速 Rated Speed	8000r/min
产品重量 Product Weight	2.4kg
额定电压 Rated Voltage	220V-230V~
包装尺寸 Package Size	480×130×205
载片直径 Carrier Diameter	215mm
装箱数量 Packing quantity	2pcs
附件 Accessories	紧固套件、水罩、水管

QW2230

重载无刷开槽机/Brushless Slotting Machine

- ◆轻小机身 无刷聚能电机 永不烧机
- ◆Lightweight and small body brushless concentrated energy motor never burns out
- ◆恒稳功率恒稳转速高效省时
- ◆Constant power and stable speed for efficient and time-saving operation
- ◆360度机头旋转可正反切割
- ◆360-degree rotating head for forward and reverse cutting

软启动保护
断电保护
过载保护

QW2115	
额定功率 Rated Power	4200W
切割深度 Max cut depth	78mm
额定转速 Rated Speed	8000r/min
产品重量 Product Weight	2.5kg
额定电压 Rated Voltage	220V-230V~
包装尺寸 Package Size	480×130×205
载片直径 Carrier Diameter	230mm
装箱数量 Packing quantity	2pcs
附件 Accessories	紧固套件、水罩、水管

Q5115

重载云石机/Marble Cutter

- ◆大功率聚能电机 更高效更省时省力
- ◆High-power concentrated energy motor for higher efficiency and time-saving
- ◆多种材质切割多角度任意调节
- ◆Suitable for cutting various materials at different angles
- ◆底板厚重使用不位移又稳又准
- ◆Thick and heavy base plate for stable and accurate use

专业级
PROFESSIONAL
LEVEL

Q5115	
额定功率 Rated Power	1350W
切割深度 Max cut depth	32.7mm
额定转速 Rated Speed	13000r/min
产品重量 Product Weight	2.7kg
额定电压 Rated Voltage	220V-230V~
包装尺寸 Package Size	255×240×180
载片直径 Carrier Diameter	115mm
装箱数量 Packing quantity	4pcs
附件 Accessories	紧固套件

Q5125

重载云石机/Marble Cutter

- ◆大功率聚能电机 更高效更省时省力
- ◆High-power concentrated energy motor for higher efficiency and time-saving
- ◆多种材质切割多角度任意调节
- ◆Suitable for cutting various materials at different angles
- ◆底板厚重使用不位移又稳又准
- ◆Thick and heavy base plate for stable and accurate use

工业级
INDUSTRIAL
LEVEL

Q5125	
额定功率 Rated Power	1700W
切割深度 Max cut depth	32.7mm
额定转速 Rated Speed	13000r/min
产品重量 Product Weight	3.4kg
额定电压 Rated Voltage	220V-230V~
包装尺寸 Package Size	255×240×180
载片直径 Carrier Diameter	125mm
装箱数量 Packing quantity	4pcs
附件 Accessories	紧固套件

Q5135


重载云石机/Marble Cutter

- ◆大功率聚能电机 更高效更省时省力
- ◆High-power concentrated energy motor for higher efficiency and time-saving
- ◆多种材质切割多角度任意调节
- ◆Suitable for cutting various materials at different angles
- ◆底板厚重使用不位移又稳又准
- ◆Thick and heavy base plate for stable and accurate use

工业级
INDUSTRIAL
LEVEL

Q5135	
额定功率 Rated Power	1800W
切割深度 Max cut depth	35mm
额定转速 Rated Speed	13000r/min
产品重量 Product Weight	3.7kg
额定电压 Rated Voltage	220V-230V~
包装尺寸 Package Size	255×240×180
载片直径 Carrier Diameter	135mm
装箱数量 Packing quantity	4pcs
附件 Accessories	紧固套件

交流切割机性能总览



产品型号 Product Modl	额定功率 Rated Power	额定转速 Rated Speed	额定电压 Rated Voltage	载片直径 Carrier Diameter	切割深度 Max cut Depth	产品功能 Function Category	产品重量 Product Weight	包装尺寸 Package Size	装箱数量 Packing quantity
Q1851	2200W	7500r/min	220V-230V~	190mm	58mm	软启动保护/Soft Start Protection 断线保护/Open Circuit Protection 过载保护/Overload Protection	4.4kg	460×160×260mm	2pcs
Q1852	2200W	7500r/min	220V-230V~	190mm	58mm		4.4kg	460×160×260mm	2pcs
Q2115	3000W	8000r/min	220V-230V~	215mm	75mm	软启动保护/Soft Start Protection 断线保护/Open Circuit Protection 过载保护/Overload Protection	6.2kg	460×160×260mm	2pcs
Q2001	3000W	9000r/min	220V-230V~	210mm	68mm	软启动保护/Soft Start Protection 断线保护/Open Circuit Protection 过载保护/Overload Protection	6.2kg	460×160×260mm	2pcs
Q2002	3000W	9000r/min	220V-230V~	210mm	68mm		6.2kg	460×160×260mm	2pcs
QW2115	4200W	8000r/min	220V-230V~	215mm	75mm	软启动保护/Soft Start Protection 断线保护/Open Circuit Protection 过载保护/Overload Protection	2.3kg	480×130×205mm	6pcs
QW1853	2800W	8700r/min	220V-230V~	185mm	65mm	软启动保护/Soft Start Protection 断线保护/Open Circuit Protection 过载保护/Overload Protection	2.15kg	480×130×205mm	6pcs
QW2003	3600W	8000r/min	220V-230V~	200mm	68mm	软启动保护/Soft Start Protection 断线保护/Open Circuit Protection 过载保护/Overload Protection	2.2kg	480×130×205mm	6pcs
QW2115	4200W	8000r/min	220V-230V~	215mm	75mm	软启动保护/Soft Start Protection 断线保护/Open Circuit Protection 过载保护/Overload Protection	2.4kg	480×130×205mm	6pcs
QW2230	4200W	8000r/min	220V-230V~	230mm	78mm	软启动保护/Soft Start Protection 断线保护/Open Circuit Protection 过载保护/Overload Protection	2.5kg	480×130×205mm	6pcs
Q5115	1350W	13000r/min	220V-230V~	115mm	32.7mm		2.7kg	255×240×180mm	4pcs
Q5125	1700W	13000r/min	220V-230V~	125mm	32.7mm		3.4kg	255×240×180mm	4pcs
Q5135	1800W	13000r/min	220V-230V~	135mm	30mm		3.7kg	255×240×180mm	4pcs

注：• 以上数据均来自金科沃实验室，实际情况会因工况、测试环境而不同，数据仅供参考 • 本公司对产品参数、外观及设计保留改进的权力，而无需事先通知。



交流工具研磨系列

AC TOOL GRINDING SERIES

M2501

工业级电磨/Electric Grinder

- ◆专利技术 长久握持不烫手
- ◆Patent technology for long-lasting heat resistance
- ◆防尘后置开关
- ◆Dust-proof rear switch
- ◆人体工学设计 纤细把握舒适
- ◆Ergonomic design for slim and comfortable grip
- ◆大功率聚能电机 更高效更省时省力
- ◆High-power concentrated energy motor for higher efficiency and time-saving



M2501	
额定功率 Rated Power	710W
开关类别 Switch Category	后置开关
额定转速 Rated Speed	33000r/min
产品重量 Product Weight	1.61kg
额定电压 Rated Voltage	220V-230V~
包装尺寸 Package Size	440×90×90
磨头直径 Head Diameter	25mm
装箱数量 Packing quantity	8pcs
附件 Accessories	紧固套件

M2501S

工业级电磨/Electric Grinder

- ◆专利技术 长久握持不烫手
- ◆Patent technology for long-lasting heat resistance
- ◆便捷侧开关
- ◆Convenient side switch
- ◆人体工学设计 纤细把握舒适
- ◆Ergonomic design for slim and comfortable grip
- ◆大功率聚能电机 更高效更省时省力
- ◆High-power concentrated energy motor for higher efficiency and time-saving



M2501S	
额定功率 Rated Power	710W
开关类别 Switch Category	侧开关
额定转速 Rated Speed	33000r/min
产品重量 Product Weight	1.61kg
额定电压 Rated Voltage	220V-230V~
包装尺寸 Package Size	440×90×90
磨头直径 Head Diameter	25mm
装箱数量 Packing quantity	8pcs
附件 Accessories	紧固套件

M2502

专业级电磨/Electric Grinder

- ◆专利技术 长久握持不烫手
- ◆Patent technology for long-lasting heat resistance
- ◆防尘后置开关
- ◆Dust-proof rear switch
- ◆人体工学设计 纤细把握舒适
- ◆Ergonomic design for slim and comfortable grip
- ◆大功率聚能电机 更高效更省时省力
- ◆High-power concentrated energy motor for higher efficiency and time-saving



M2502	
额定功率 Rated Power	550W
开关类别 Switch Category	后置开关
额定转速 Rated Speed	21000r/min
产品重量 Product Weight	1.61kg
额定电压 Rated Voltage	220V-230V~
包装尺寸 Package Size	440×90×90
磨头直径 Head Diameter	25mm
装箱数量 Packing quantity	8pcs
附件 Accessories	紧固套件

M2502S

专业级电磨/Electric Grinder

- ◆专利技术 长久握持不烫手
- ◆Patent technology for long-lasting heat resistance
- ◆便捷侧开关
- ◆Convenient side switch
- ◆人体工学设计 纤细把握舒适
- ◆Ergonomic design for slim and comfortable grip
- ◆大功率聚能电机 更高效更省时省力
- ◆High-power concentrated energy motor for higher efficiency and time-saving



M2502S	
额定功率 Rated Power	550W
开关类别 Switch Category	侧开关
额定转速 Rated Speed	21000r/min
产品重量 Product Weight	1.61kg
额定电压 Rated Voltage	220V-230V~
包装尺寸 Package Size	440×90×90
磨头直径 Head Diameter	25mm
装箱数量 Packing quantity	8pcs
附件 Accessories	紧固套件

C3261

工业级电锤/Electric Hammer

- ◆多重减震 保护关节
- ◆Multiple shock absorption for joint protection
- ◆大功率聚能电机 高效快速破拆
- ◆High-power energy-concentrated motor for efficient and fast demolition
- ◆高品质齿轮 超强承载 持久耐用
- ◆High-quality gears for exceptional bearing and durability



C3261	
额定功率 Rated Power	1050W
额定电压 Rated Voltage	220V-230V~
冲击频率 Impact Frequency	4570bpm
产品重量 Product Weight	5.1kg
冲击能量 Impact Energy	5J
包装尺寸 Package Size	423×340×119
气缸直径 Cylinder Bore	26mm
装箱数量 Packing quantity	4pcs
附件 Accessories	专用黄油、辅助手柄

C3281

工业级电锤/Electric Hammer

- ◆多重减震 保护关节
- ◆Multiple shock absorption for joint protection
- ◆大功率聚能电机 高效快速破拆
- ◆High-power energy-concentrated motor for efficient and fast demolition
- ◆高品质齿轮 超强承载 持久耐用
- ◆High-quality gears for exceptional bearing and durability



C3281	
额定功率 Rated Power	1350W
额定电压 Rated Voltage	220V-230V~
冲击频率 Impact Frequency	4500bpm
产品重量 Product Weight	5.1kg
冲击能量 Impact Energy	5.2J
包装尺寸 Package Size	423×340×119
气缸直径 Cylinder Bore	28mm
装箱数量 Packing quantity	4pcs
附件 Accessories	专用黄油、辅助手柄

C3301

工业级电锤/Electric Hammer

- ◆多重减震 保护关节
- ◆Multiple shock absorption for joint protection
- ◆大功率聚能电机 高效快速破拆
- ◆High-power energy-concentrated motor for efficient and fast demolition
- ◆高品质齿轮 超强承载 持久耐用
- ◆High-quality gears for exceptional bearing and durability



C3301	
额定功率 Rated Power	1650W
额定电压 Rated Voltage	220V-230V~
冲击频率 Impact Frequency	4400bpm
产品重量 Product Weight	5.1kg
冲击能量 Impact Energy	5.4J
包装尺寸 Package Size	423×340×119
气缸直径 Cylinder Bore	30mm
装箱数量 Packing quantity	4pcs
附件 Accessories	专用黄油、辅助手柄

H3351

工业级电镐/Electric Pick

- ◆多重减震 保护关节
- ◆Multiple shock absorption for joint protection
- ◆大功率聚能电机 高效快速破拆
- ◆High-power energy-concentrated motor for efficient and fast demolition
- ◆高品质齿轮 超强承载 持久耐用
- ◆High-quality gears for exceptional bearing and durability



H3351	
额定功率 Rated Power	1050W
额定电压 Rated Voltage	220V-230V~
冲击频率 Impact Frequency	4570bpm
产品重量 Product Weight	5.1kg
冲击能量 Impact Energy	5J
包装尺寸 Package Size	423×340×119
气缸直径 Cylinder Bore	35mm
装箱数量 Packing quantity	4pcs
附件 Accessories	专用黄油、辅助手柄

CJ3601

工业级电锤钻/Electric Hammer Drill

- ◆多重减震 保护关节
- ◆Multiple shock absorption for joint protection
- ◆大功率聚能电机 高效快速破拆
- ◆High-power energy-concentrated motor for efficient and fast demolition
- ◆高品质齿轮 超强承载 持久耐用
- ◆High-quality gears for exceptional bearing and durability



CJ3601	
额定功率 Rated Power	800W
空载转速 No-load speed	1200r/min
冲击频率 Impact Frequency	4200bpm
产品重量 Product Weight	2.75kg
冲击能量 Impact Energy	3.3J
包装尺寸 Package Size	423×340×119
气缸直径 Cylinder Bore	26mm
装箱数量 Packing quantity	4pcs
附件 Accessories	专用黄油、辅助手柄

CJ3602

工业级电锤钻/Electric Hammer Drill

- ◆多重减震 保护关节
- ◆Multiple shock absorption for joint protection
- ◆大功率聚能电机 高效快速破拆
- ◆High-power energy-concentrated motor for efficient and fast demolition
- ◆高品质齿轮 超强承载 持久耐用
- ◆High-quality gears for exceptional bearing and durability



CJ3602	
额定功率 Rated Power	850W
空载转速 No-load speed	1200r/min
冲击频率 Impact Frequency	4200bpm
产品重量 Product Weight	2.9kg
冲击能量 Impact Energy	3.3J
包装尺寸 Package Size	423×340×119
气缸直径 Cylinder Bore	26mm
装箱数量 Packing quantity	4pcs
附件 Accessories	专用黄油、辅助手柄

J6101

工业级电钻/Electric Drill

- ◆多重减震 保护关节
- ◆Multiple shock absorption for joint protection
- ◆大功率聚能电机 高效快速破拆
- ◆High-power energy-concentrated motor for efficient and fast demolition
- ◆高品质齿轮 超强承载 持久耐用
- ◆High-quality gears for exceptional bearing and durability

工业级
INDUSTRIAL
LEVEL

J6101			
额定功率 Rated Power	550W	额定电压 Rated Voltage	220V-230V~
额定转速 Rated Speed	0-2000r/min	产品重量 Product Weight	1.3kg
夹头直径 Chuck Diameter	10mm	包装尺寸 Package Size	225×230×70
额定频率 Rated Frequency	50Hz	装箱数量 Packing quantity	8pcs
附 件 Annex	夹头扳手		

J6131


工业级电钻/Electric Drill

- ◆多重减震 保护关节
- ◆Multiple shock absorption for joint protection
- ◆大功率聚能电机 高效快速破拆
- ◆High-power energy-concentrated motor for efficient and fast demolition
- ◆高品质齿轮 超强承载 持久耐用
- ◆High-quality gears for exceptional bearing and durability

工业级
INDUSTRIAL
LEVEL

J6131			
额定功率 Rated Power	750W	额定电压 Rated Voltage	220V-230V~
额定转速 Rated Speed	0-1260r/min	产品重量 Product Weight	1.6kg
夹头直径 Chuck Diameter	13mm	包装尺寸 Package Size	260×245×75
额定频率 Rated Frequency	50Hz	装箱数量 Packing quantity	8pcs
附 件 Annex	辅助手柄、夹头扳手		

交流锤镐钻性能总览



产品型号 Product Modl	额定功率 Rated Power	额定电压 Rated Voltage	冲击频率 Impact Frequency	冲击能量 Impact Energy	夹头直径 Chuck Diameter	功能类型 Function Category	产品重量 Product Weight	包装尺寸 Package Size	装箱数量 Packing quantity
C3261	1050W	220V-230V~	4570bpm	5J	26mm	锤-镐多功能 Hammer & Chisel Multi-function	5.1kg	423×340×119mm	4pcs
C3281	1350W	220V-230V~	4500bpm	5.2J	28mm	锤-镐多功能 Hammer & Chisel Multi-function	5.1kg	423×340×119mm	4pcs
C3301	1650W	220V-230V~	4400bpm	5.4J	30mm	锤-镐多功能 Hammer & Chisel Multi-function	5.1kg	423×340×119mm	4pcs
H3351	1500W	220V-230V~	5500bpm	5J	35mm	锤 Hammer	5.1kg	423×340×119mm	4pcs
CJ3601	800W	220V-230V~	4200bpm	3.3J	26mm	锤-镐多功能 Hammer & Drill Multi-function	2.75	423×340×119mm	4pcs
产品型号 Product Modl	额定功率 Rated Power	额定电压 Rated Voltage	额定频率 Rated Frequency	额定转速 Rated Speed	夹头直径 Chuck Diameter	开关类别 Switch Category	功能类型 Function Category	包装尺寸 Package Size	装箱数量 Packing quantity
J6101	550W	220V-230V~	50Hz	0-2000r/min	10mm	后置开关 Rear Switch	调速款 Variable Speed	225×230×70mm	8pcs
J6131	750W	220V-230V~	50Hz	0-1260r/min	13mm	后置开关 Rear Switch	调速款 Variable Speed	260×245×75mm	8pcs

注：· 以上数据均来自金科沃实验室，实际情况会因工况、测试环境而不同，数据仅供参考· 本公司对产品参数、外观及设计保留改进的权力，而无需事先通知。

交流工具抛光系列
AC TOOL POLISHING SERIES

BST6115

工业级震抛机/Vibration Polisher

- ◆外观精致，操控方便
- ◆Exquisite appearance and convenient operation
- ◆超大扭矩 省时省力
- ◆Extraordinary torque for time and effort-saving operations
- ◆恒功恒速高效作业
- ◆Consistent power and speed for efficient work

工业级
INDUSTRIAL
LEVEL

BST6115			
额定功率 Rated Power	1300W	额定电压 Rated Voltage	220V-230V~
额定转速 Rated Speed	2000-6000r/min	产品重量 Product Weight	2.3kg
抛光棉直径 Polishing Pad Size	127mm	包装尺寸 Package Size	480×160×180
偏心距 Eccentricity	15mm	装箱数量 Packing quantity	10pcs
附 件 Accessories	底盘、辅助手柄		

BST6215

工业级震抛机/Vibration Polisher

- ◆外观精致，操控方便
- ◆Exquisite appearance and convenient operation
- ◆超大扭矩 省时省力
- ◆Extraordinary torque for time and effort-saving operations
- ◆恒功恒速高效作业
- ◆Consistent power and speed for efficient work

工业级
INDUSTRIAL
LEVEL

BST6215			
额定功率 Rated Power	1300W	额定电压 Rated Voltage	220V-230V~
额定转速 Rated Speed	2000-6000r/min	产品重量 Product Weight	2.21kg
抛光棉直径 Polishing Pad Size	127mm	包装尺寸 Package Size	340×160×170
偏心距 Eccentricity	15mm	装箱数量 Packing quantity	10pcs
附 件 Accessories	底盘、辅助手柄		

BST6121

工业级震抛机/Vibration Polisher

- ◆外观精致，操控方便
- ◆Exquisite appearance and convenient operation
- ◆超大扭矩 省时省力
- ◆Extraordinary torque for time and effort-saving operations
- ◆恒功恒速高效作业
- ◆Consistent power and speed for efficient work

工业级
INDUSTRIAL
LEVEL

BST6121			
额定功率 Rated Power	1300W	额定电压 Rated Voltage	220V-230V~
额定转速 Rated Speed	2000-6000r/min	产品重量 Product Weight	2.3kg
抛光棉直径 Polishing Pad Size	152mm	包装尺寸 Package Size	480×160×180
偏心距 Eccentricity	21mm	装箱数量 Packing quantity	10pcs
附 件 Accessories	底盘、辅助手柄		

BST5115

工业级直抛机/Straight Polisher

- ◆外观精致，操控方便
- ◆Exquisite appearance and convenient operation
- ◆超大扭矩 省时省力
- ◆Extraordinary torque for time and effort-saving operations
- ◆恒功恒速高效作业
- ◆Consistent power and speed for efficient work

工业级
INDUSTRIAL
LEVEL

BST5115			
额定功率 Rated Power	1300W	额定电压 Rated Voltage	220V-230V~
额定转速 Rated Speed	1200-4800r/min	产品重量 Product Weight	2.3kg
抛光棉直径 Polishing Pad Size	127mm	包装尺寸 Package Size	480×160×180
额定频率 Rated Frequency	50Hz	装箱数量 Packing quantity	10pcs
附 件 Accessories	底盘、辅助手柄		

BST5215

工业级直抛机/Straight Polisher

- ◆外观精致，操控方便
- ◆Exquisite appearance and convenient operation
- ◆超大扭矩 省时省力
- ◆Extraordinary torque for time and effort-saving operations
- ◆恒功恒速高效作业
- ◆Consistent power and speed for efficient work



工业级
INDUSTRIAL
LEVEL

BST5215			
额定功率	Rated Power	1300W	额定电压
			Rated Voltage
			220V-230V~
额定转速	Rated Speed	1200-4800r/min	产品重量
			Product Weight
			2.21kg
抛光棉直径	Polishing Pad Size	127mm	包装尺寸
			Package Size
			340×160×170
额定频率	Rated Frequency	50Hz	装箱数量
			Packing quantity
			10pcs
附件	Accessories	底盘、辅助手柄	

BST5121

工业级直抛机/Straight Polisher

- ◆外观精致，操控方便
- ◆Exquisite appearance and convenient operation
- ◆超大扭矩 省时省力
- ◆Extraordinary torque for time and effort-saving operations
- ◆恒功恒速高效作业
- ◆Consistent power and speed for efficient work



工业级
INDUSTRIAL
LEVEL

BST5121			
额定功率	Rated Power	1300W	额定电压
			Rated Voltage
			220V-230V~
额定转速	Rated Speed	1200-4800r/min	产品重量
			Product Weight
			2.3kg
抛光棉直径	Polishing Pad Size	152mm	包装尺寸
			Package Size
			480×160×180
额定频率	Rated Frequency	50Hz	装箱数量
			Packing quantity
			10pcs
附件	Accessories	底盘、辅助手柄	

BST6180

工业级干磨机/Dry Polisher

- ◆外观精致，操控方便
- ◆Exquisite appearance and convenient operation
- ◆超大扭矩 省时省力
- ◆Extraordinary torque for time and effort-saving operations
- ◆特效集尘效果
- ◆Excellent dust collection effect for environmental friendliness



工业级
INDUSTRIAL
LEVEL

BST6180			
额定功率	Rated Power	1700W	额定电压
			Rated Voltage
			220V-230V~
额定转速	Rated Speed	600-3200r/min	产品重量
			Product Weight
			2.53kg
抛光棉直径	Polishing Pad Size	180mm	包装尺寸
			Package Size
			430×160×180
额定频率	Rated Frequency	50Hz	装箱数量
			Packing quantity
			10pcs
附件	Annex	底盘、辅助手柄	

BST3120

工业级拉丝机/Wire Drawing Machine

- ◆外观精致，操控方便
- ◆Exquisite appearance and convenient operation
- ◆超大扭矩 省时省力
- ◆Extraordinary torque for time and effort-saving operations
- ◆恒功恒速高效作业
- ◆Consistent power and speed for efficient work



工业级
INDUSTRIAL
LEVEL

BST3120			
额定功率	Rated Power	1700W	额定电压
			Rated Voltage
			220V-230V~
额定转速	Rated Speed	600-3200r/min	产品重量
			Product Weight
			2.52kg
抛光棉直径	Polishing Pad Size	120mm	包装尺寸
			Package Size
			430×220×180
转接盘直径	Backingpadsize	100mm	装箱数量
			Packing quantity
			10pcs
附件	Annex	底盘、辅助手柄	

BST5221

工业级直抛机/Straight Polisher

- ◆外观精致，操控方便
- ◆Exquisite appearance and convenient operation
- ◆超大扭矩 省时省力
- ◆Extraordinary torque for time and effort-saving operations
- ◆恒功恒速高效作业
- ◆Consistent power and speed for efficient work



工业级
INDUSTRIAL
LEVEL

BST5221			
额定功率	Rated Power	1300W	额定电压
			Rated Voltage
			220V-230V~
额定转速	Rated Speed	1200-4800r/min	产品重量
			Product Weight
			2.21kg
抛光棉直径	Polishing Pad Size	152mm	包装尺寸
			Package Size
			340×160×170
额定频率	Rated Frequency	50Hz	装箱数量
			Packing quantity
			10pcs
附件	Accessories	底盘、辅助手柄	

BST5180

工业级直抛机/Straight Polisher


- ◆外观精致，操控方便
- ◆Exquisite appearance and convenient operation
- ◆超大扭矩 省时省力
- ◆Extraordinary torque for time and effort-saving operations
- ◆恒功恒速高效作业
- ◆Consistent power and speed for efficient work



工业级
INDUSTRIAL
LEVEL

BST5180			
额定功率	Rated Power	1700W	额定电压
			Rated Voltage
			220V-230V~
额定转速	Rated Speed	600-3200r/min	产品重量
			Product Weight
			2.53kg
抛光棉直径	Polishing Pad Size	180mm	包装尺寸
			Package Size
			430×160×180
额定频率	Rated Frequency	50Hz	装箱数量
			Packing quantity
			10pcs
附件	Accessories	底盘、辅助手柄	

交流抛光系列性能总览



产品型号 Product Modl	额定功率 Rated Power	额定转速 Rated Speed	额定电压 Rated Voltage	抛光棉直径 Polishing Pad Size	偏心距 Eccentricity	产品功能 Function Category	产品重量 Product Weight	包装尺寸 Package Size	装箱数量 Packing quantity
BST6115	1300W	2000-6000r/min	220V-230V~	127mm (5in)	15mm	震抛机 Vibration Polisher	2.21kg	480×160×180mm	10pcs
BST6215	1300W	2000-6000r/min	220V-230V~	127mm (5in)	15mm	震抛机 Vibration Polisher	2.21kg	340×160×170mm	10pcs
BST6121	1300W	2000-6000r/min	220V-230V~	152mm (6in)	21mm	震抛机 Vibration Polisher	2.21kg	480×160×180mm	10pcs
BST6221	1300W	2000-6000r/min	220V-230V~	152mm6in)	21mm	震抛机 Vibration Polisher	2.21kg	340×160×170mm	10pcs
BST5215	1300W	1200-4800r/min	220V-230V~	127mm (5in)		直抛机 Straight Polisher	2.3kg	340×160×170mm	10pcs
BST5115	1300W	1200-4800r/min	220V-230V~	127mm (5in)		直抛机 Straight Polisher	2.21kg	340×160×170mm	10pcs
BST5221	1300W	1200-4800r/min	220V-230V~	152mm (6in)		直抛机 Straight Polisher	2.3kg	340×160×170mm	10pcs
BST5121	1300W	1200-4800r/min	220V-230V~	152mm6in)		直抛机 Straight Polisher	2.21kg	480×160×180mm	10pcs
BST5180	1800W	600-3200r/min	220V-230V~	180mm		直抛机 Straight Polisher	2.53kg	430×160×180mm	10pcs
BST6180	2800W	600-3200r/min	220V-230V~	180mm		干磨机 Dry Polisher	2.36kg	430×160×180mm	10pcs
BST6170	1350W	1200-4800r/min	220V-230V~	125mm		干磨机 Dry Polisher	2.53kg	420×160×160mm	10pcs
BST6150	1700W	1200-4800r/min	220V-230V~	125mm		干磨机 Dry Polisher	2.21kg	340×160×170mm	10pcs
BST3120	1800W	600-3200r/min	220V-230V~	100mm	转接盘直径 100mm	拉丝机 Wire Drawing Machine	2.52kg	430×220×180mm	10pcs

注：· 以上数据均来自金科沃实验室，实际情况会因工况、测试环境而不同，数据仅供参考· 本公司对产品参数、外观及设计保留改进的权力，而无需事先通知。

AC POWER CUT-OFF MACHINE SERIES

交流工具型材切割系列

G3551

工业级355型材切割PROFILE-CUTTING MACHINE

- ◆澎湃核心：3200W高功率电机，轻松应对各种型材！
- ◆Powerful Core: 3200W high-power motor, easily handles all profiles!
- ◆硬核防护：加厚合金防护罩+加厚底座，经久耐用！
- ◆Rugged Protection: Thickened alloy protective cover + thickened base, durable and long-lasting!
- ◆舒适掌控：人体工学握把+优化减震，长时间作业更轻松！
- ◆Comfortable Grip: Ergonomic handle + optimized shock absorption, making long-hour operation easier!
- ◆安全护航：意外重启保护+防护罩自锁，作业安心有保障！
- ◆Safety Guarantee: Accidental restart protection + protective cover self-locking, ensuring safe operation!
- ◆精准切割：切口平整无偏差，加工精度更可靠！
- ◆Precise Cutting: Flat and accurate cuts, with more reliable processing precision!



G3551

额定功率	Rated Power	3200W	额定电压	Rated Voltage	220V-230V~
额定转速	Rated Speed	3900r/min	产品重量	Product Weight	19kg
载片直径	Carrier Diameter	355mm	包装尺寸	Package Size	592×322×440
额定频率	Rated Frequency	50Hz	装箱数量	Packing quantity	1pcs

G3552

工业级355型材切割PROFILE-CUTTING MACHINE

- ◆澎湃核心：3200W高功率电机，轻松应对各种型材！
- ◆Powerful Core: 3200W high-power motor, easily handles all profiles!
- ◆硬核防护：加厚合金防护罩+加厚底座，经久耐用！
- ◆Rugged Protection: Thickened alloy protective cover + thickened base, durable and long-lasting!
- ◆舒适掌控：人体工学握把+优化减震，长时间作业更轻松！
- ◆Comfortable Grip: Ergonomic handle + optimized shock absorption, making long-hour operation easier!
- ◆安全护航：意外重启保护+防护罩自锁，作业安心有保障！
- ◆Safety Guarantee: Accidental restart protection + protective cover self-locking, ensuring safe operation!
- ◆精准切割：切口平整无偏差，加工精度更可靠！
- ◆Precise Cutting: Flat and accurate cuts, with more reliable processing precision!



G3552

额定功率	Rated Power	2800W	额定电压	Rated Voltage	220V-230V~
额定转速	Rated Speed	3900r/min	产品重量	Product Weight	19kg
载片直径	Carrier Diameter	355mm	包装尺寸	Package Size	592×322×440
额定频率	Rated Frequency	50Hz	装箱数量	Packing quantity	1pcs

G3553

工业级355型材切割PROFILE-CUTTING MACHINE

- ◆澎湃核心：3200W高功率电机，轻松应对各种型材！
- ◆Powerful Core: 3200W high-power motor, easily handles all profiles!
- ◆硬核防护：加厚合金防护罩+加厚底座，经久耐用！
- ◆Rugged Protection: Thickened alloy protective cover + thickened base, durable and long-lasting!
- ◆舒适掌控：人体工学握把+优化减震，长时间作业更轻松！
- ◆Comfortable Grip: Ergonomic handle + optimized shock absorption, making long-hour operation easier!
- ◆安全护航：意外重启保护+防护罩自锁，作业安心有保障！
- ◆Safety Guarantee: Accidental restart protection + protective cover self-locking, ensuring safe operation!
- ◆精准切割：切口平整无偏差，加工精度更可靠！
- ◆Precise Cutting: Flat and accurate cuts, with more reliable processing precision!



G3552

额定功率	Rated Power	2400W	额定电压	Rated Voltage	220V-230V~
额定转速	Rated Speed	3900r/min	产品重量	Product Weight	19kg
载片直径	Carrier Diameter	355mm	包装尺寸	Package Size	592×322×440
额定频率	Rated Frequency	50Hz	装箱数量	Packing quantity	1pcs

D7001

自吸尘(灯带)式墙面打磨机

- ◆专业自吸尘墙面打磨机
- ◆Professional Self-Dust Collection Wall Sander
- ◆超大功率，超高转速，超强吸力
- ◆Ultra-High Power, Ultra-High Speed, Ultra-Strong Suction
- ◆自带360度LED灯带
- ◆Built-in 360° LED Light Strip



D7001

额定功率	Rated Power	750W	额定电压	Rated Voltage	220V-230V~
额定转速	Rated Speed	1500-2700rpm	砂带尺寸	Belt Size	180mm

D7003

数码驱动无刷墙面打磨机

- ◆专业自吸尘墙面打磨机
- ◆Professional Self-Dust Collection Wall Sander
- ◆超大功率，超高转速，超强吸力
- ◆Ultra-High Power, Ultra-High Speed, Ultra-Strong Suction
- ◆自带360度LED灯带
- ◆Built-in 360° LED Light Strip



D7003

额定功率	Rated Power	750W	额定电压	Rated Voltage	220V-230V~
额定转速	Rated Speed	1000-2100rpm	砂带尺寸	Belt Size	180mm

D7005

无刷自吸尘(灯带)墙面打磨机

- ◆专业自吸尘墙面打磨机
- ◆Professional Self-Dust Collection Wall Sander
- ◆超大功率，超高转速，超强吸力
- ◆Ultra-High Power, Ultra-High Speed, Ultra-Strong Suction
- ◆自带360度LED灯带
- ◆Built-in 360° LED Light Strip



D7005

额定功率	Rated Power	1050W	额定电压	Rated Voltage	220V-230V~
额定转速	Rated Speed	1000-2100rpm	砂带尺寸	Belt Size	180mm

D7006

数码驱动无刷墙面打磨机

- ◆专业自吸尘墙面打磨机
- ◆Professional Self-Dust Collection Wall Sander
- ◆超大功率，超高转速，超强吸力
- ◆Ultra-High Power, Ultra-High Speed, Ultra-Strong Suction
- ◆自带360度LED灯带
- ◆Built-in 360° LED Light Strip



D7006

额定功率	Rated Power	1050W	额定电压	Rated Voltage	220V-230V~
额定转速	Rated Speed	1000-2100rpm	砂带尺寸	Belt Size	180mm

AC POWER WALL SANDING SERIES

交流工具墙面打磨系列



DC TOOLS DRILLING FASTENING SERIES 直流工具钻孔紧固系列

全新 S 级旗舰款锂电系列 震撼首发



SDZ1001-2 锂电电钻		S级 旗舰款
电池容量 Battery Capacity	2.0Ah	
最大扭矩 Maximum Torque	60N.m	
空载转速 No-load speed	0-450/0-2000r/min	
夹头直径 Chuck Diameter	10mm	
产品重量 Product Weight	0.79kg	
包装尺寸 Package Size	275×214×100	
装箱数量 Packing quantity	10pcs	
附 件 Accessories	2.0Ah锂电池×2、充电器 工具包/塑盒	



SDZ1002-4 锂电电钻		S级 旗舰款
电池容量 Battery Capacity	4.0Ah	
最大扭矩 Maximum Torque	70N.m	
空载转速 No-load speed	0-450/0-2000r/min	
夹头直径 Chuck Diameter	10mm	
产品重量 Product Weight	1kg	
包装尺寸 Package Size	336×249×100	
装箱数量 Packing quantity	8pcs	
附 件 Accessories	4.0Ah锂电池×2、充电器、 工具包/塑盒	



SDB3801-4 锂电电扳手		S级 旗舰款
电池容量 Battery Capacity	4.0Ah	
最大扭矩 Maximum Torque	380N.m	
方榫尺寸 Square Tenon Size	12.7 (1/2")	
螺栓规格 Bolt Specification	M12-18	
产品重量 Product Weight	2.98kg	
包装尺寸 Package Size	336×249×100	
装箱数量 Packing quantity	8pcs	
附 件 Accessories	4.0Ah锂电池×2、充电器、 工具包/塑盒	

SDZ1301-2 锂电电钻		S级 旗舰款
电池容量 Battery Capacity	2.0Ah	
最大扭矩 Maximum Torque	60N.m	
空载转速 No-load speed	0-450/0-2000r/min	
夹头直径 Chuck Diameter	13mm	
产品重量 Product Weight	0.97kg	
包装尺寸 Package Size	275×214×100	
装箱数量 Packing quantity	10pcs	
附 件 Accessories	2.0Ah锂电池×2、充电器 工具包/塑盒	

SDZ1302-4 锂电电钻		S级 旗舰款
电池容量 Battery Capacity	4.0Ah	
最大扭矩 Maximum Torque	70N.m	
空载转速 No-load speed	0-450/0-2000r/min	
夹头直径 Chuck Diameter	13mm	
产品重量 Product Weight	1.1kg	
包装尺寸 Package Size	336×249×100	
装箱数量 Packing quantity	8pcs	
附 件 Accessories	4.0Ah锂电池×2、充电器、 工具包/塑盒	

SDB3801-6 锂电电扳手		S级 旗舰款
电池容量 Battery Capacity	6.0Ah	
最大扭矩 Maximum Torque	380N.m	
方榫尺寸 Square Tenon Size	12.7 (1/2")	
螺栓规格 Bolt Specification	M12-18	
产品重量 Product Weight	2.98kg	
包装尺寸 Package Size	336×249×100	
装箱数量 Packing quantity	8pcs	
附 件 Accessories	6.0Ah锂电池×2、充电器、 工具包/塑盒	

SDJ1001-2 锂电冲击电钻		S级 旗舰款
电池容量 Battery Capacity	2.0Ah	
最大扭矩 Maximum Torque	60N.m	
空载转速 No-load speed	0-450/0-2000r/min	
夹头直径 Chuck Diameter	10mm	
产品重量 Product Weight	0.79kg	
包装尺寸 Package Size	275×214×100	
装箱数量 Packing quantity	10pcs	
附 件 Accessories	2.0Ah锂电池×2、充电器、 工具包/塑盒	

SDJ1002-4 锂电冲击电钻		S级 旗舰款
电池容量 Battery Capacity	4.0Ah	
最大扭矩 Maximum Torque	70N.m	
空载转速 No-load speed	0-450/0-2000r/min	
夹头直径 Chuck Diameter	10mm	
产品重量 Product Weight	1kg	
包装尺寸 Package Size	336×249×100	
装箱数量 Packing quantity	8pcs	
附 件 Accessories	4.0Ah锂电池×2、充电器、 工具包/塑盒	

SDB5501-4 锂电电扳手		S级 旗舰款
电池容量 Battery Capacity	4.0Ah	
最大扭矩 Maximum Torque	550N.m	
方榫尺寸 Square Tenon Size	12.7 (1/2")	
螺栓规格 Bolt Specification	M12-18	
产品重量 Product Weight	2.98kg	
包装尺寸 Package Size	336×249×100	
装箱数量 Packing quantity	8pcs	
附 件 Accessories	4.0Ah锂电池×2、充电器、 工具包/塑盒	

SDJ1301-2 锂电冲击电钻		S级 旗舰款
电池容量 Battery Capacity	2.0Ah	
最大扭矩 Maximum Torque	60N.m	
空载转速 No-load speed	0-450/0-2000r/min	
夹头直径 Chuck Diameter	13mm	
产品重量 Product Weight	0.93kg	
包装尺寸 Package Size	275×214×100	
装箱数量 Packing quantity	10pcs	
附 件 Accessories	2.0Ah锂电池×2、充电器、 工具包/塑盒	

SDJ1302-4 锂电冲击电钻		S级 旗舰款
电池容量 Battery Capacity	4.0Ah	
最大扭矩 Maximum Torque	70N.m	
空载转速 No-load speed	0-450/0-2000r/min	
夹头直径 Chuck Diameter	13mm	
产品重量 Product Weight	1kg	
包装尺寸 Package Size	336×249×100	
装箱数量 Packing quantity	8pcs	
附 件 Accessories	4.0Ah锂电池×2、充电器、 工具包/塑盒	

SDB5501-6 锂电电扳手		S级 旗舰款
电池容量 Battery Capacity	6.0Ah	
最大扭矩 Maximum Torque	380N.m	
方榫尺寸 Square Tenon Size	12.7 (1/2")	
螺栓规格 Bolt Specification	M12-18	
产品重量 Product Weight	2.98kg	
包装尺寸 Package Size	336×249×100	
装箱数量 Packing quantity	8pcs	
附 件 Accessories	6.0Ah锂电池×2、充电器、 工具包/塑盒	

21V锂电紧固系列



SDB1028-2 锂电电扳手		
电池容量 Battery Capacity	2.0Ah	S级 旗舰款 Flagship S Grade
最大扭矩 Maximum Torque	280N.m	
方榫尺寸 Square Tenon Size	12.7 (1/2")	
螺栓规格 Bolt Specification	M12-18	
产品重量 Product Weight	2.4kg	
包装尺寸 Package Size	336×249×100	工业级 Industrial Level
装箱数量 Packing quantity	8pcs	
附件 Accessories	2.0Ah锂电池×2、充电器、工具包\塑盒	

ADB1028-2 锂电电扳手		
电池容量 Battery Capacity	2.0Ah	工业级 Industrial Level
最大扭矩 Maximum Torque	280N.m	
方榫尺寸 Square Tenon Size	12.7 (1/2")	
螺栓规格 Bolt Specification	M12-18	
产品重量 Product Weight	2.4kg	
包装尺寸 Package Size	336×249×100	S级 旗舰款 Flagship S Grade
装箱数量 Packing quantity	8pcs	
附件 Accessories	2.0Ah锂电池×2、充电器、工具包\塑盒	



SDB1080-4 锂电电扳手		
电池容量 Battery Capacity	4.0Ah	S级 旗舰款 Flagship S Grade
最大扭矩 Maximum Torque	800N.m	
方榫尺寸 Square Tenon Size	12.7 (1/2")	
螺栓规格 Bolt Specification	M12-18	
产品重量 Product Weight	2.9kg	
包装尺寸 Package Size	336×249×100	工业级 Industrial Level
装箱数量 Packing quantity	8pcs	
附件 Accessories	4.0Ah锂电池×2、充电器、工具包\塑盒	

ADB1080-4 锂电电扳手		
电池容量 Battery Capacity	4.0Ah	工业级 Industrial Level
最大扭矩 Maximum Torque	800N.m	
方榫尺寸 Square Tenon Size	12.7 (1/2")	
螺栓规格 Bolt Specification	M12-18	
产品重量 Product Weight	2.9kg	
包装尺寸 Package Size	336×249×100	S级 旗舰款 Flagship S Grade
装箱数量 Packing quantity	8pcs	
附件 Accessories	4.0Ah锂电池×2、充电器、工具包\塑盒	



SDB1300-4 锂电电扳手		
电池容量 Battery Capacity	4.0Ah	S级 旗舰款 Flagship S Grade
最大扭矩 Maximum Torque	1000-1300N.m	
方榫尺寸 Square Tenon Size	12.7 (1/2")	
螺栓规格 Bolt Specification	M12-18	
产品重量 Product Weight	2.9kg	
包装尺寸 Package Size	336×249×100	工业级 Industrial Level
装箱数量 Packing quantity	8pcs	
附件 Accessories	4.0Ah锂电池×2、充电器、工具包\塑盒	

ADB1300-4 锂电电扳手		
电池容量 Battery Capacity	4.0Ah	工业级 Industrial Level
最大扭矩 Maximum Torque	1000-1300N.m	
方榫尺寸 Square Tenon Size	12.7 (1/2")	
螺栓规格 Bolt Specification	M12-18	
产品重量 Product Weight	2.9kg	
包装尺寸 Package Size	336×249×100	S级 旗舰款 Flagship S Grade
装箱数量 Packing quantity	8pcs	
附件 Accessories	4.0Ah锂电池×2、充电器、工具包\塑盒	



SDB2000-6 锂电电扳手		
电池容量 Battery Capacity	6.0Ah	S级 旗舰款 Flagship S Grade
最大扭矩 Maximum Torque	2000N.m	
方榫尺寸 Square Tenon Size	12.7 (1/2")	
螺栓规格 Bolt Specification	M12-18	
产品重量 Product Weight	3.2kg	
包装尺寸 Package Size	336×249×100	工业级 Industrial Level
装箱数量 Packing quantity	8pcs	
附件 Accessories	6.0Ah锂电池×2、充电器、工具包\塑盒	

ADB2000-6 锂电电扳手		
电池容量 Battery Capacity	6.0Ah	工业级 Industrial Level
最大扭矩 Maximum Torque	2000N.m	
方榫尺寸 Square Tenon Size	12.7 (1/2")	
螺栓规格 Bolt Specification	M12-18	
产品重量 Product Weight	3.2kg	
包装尺寸 Package Size	336×249×100	S级 旗舰款 Flagship S Grade
装箱数量 Packing quantity	8pcs	
附件 Accessories	6.0Ah锂电池×2、充电器、工具包\塑盒	



SQZ1800-2 锂电起子机		
电池容量 Battery Capacity	2.0Ah	S级 旗舰款 Flagship S Grade
最大扭矩 Maximum Torque	180N.m	
方榫尺寸 Square Tenon Size	6.35 (1/4")	
螺栓规格 Bolt Specification	M3-6	
产品重量 Product Weight	1.21kg	
包装尺寸 Package Size	336×249×100	工业级 Industrial Level
装箱数量 Packing quantity	8pcs	
附件 Accessories	2.0Ah锂电池×2、充电器、工具包\塑盒	

AQZ1800-2 锂电起子机		
电池容量 Battery Capacity	2.0Ah	工业级 Industrial Level
最大扭矩 Maximum Torque	180N.m	
方榫尺寸 Square Tenon Size	6.35 (1/4")	
螺栓规格 Bolt Specification	M3-6	
产品重量 Product Weight	1.21kg	
包装尺寸 Package Size	336×249×100	S级 旗舰款 Flagship S Grade
装箱数量 Packing quantity	8pcs	
附件 Accessories	2.0Ah锂电池×2、充电器、工具包\塑盒	

锂电钻孔系列性能总览



S级旗舰款 Flagship S Grade	A级工业级 Industriallevel	B级专业级 Professionallevel	电池容量 Battery Capacity	额定电压 Rated Voltage	额定转速 Rated Speed	夹头直径 Chuck Diameter	最大扭矩 Maximum Torque	功能类型 Function Category	产品重量 Product Weight	包装尺寸 Package Size	装箱数量 Packing quantity
SDZ1001-2	ADZ1001-2	BDZ1001-2	2.0Ah	16.8V	0-450/ 0-2000r/min	10mm	60N.m	电钻 Electric Drill	0.79kg	275×214×100mm	10pcs
SDZ1301-2	ADZ1301-2	BDZ1301-2	2.0Ah	16.8V	0-450/ 0-2000r/min	13mm	60N.m	电钻 Electric Drill	0.93kg	275×214×100mm	10pcs
SDJ1001-2	ADJ1001-2	BDJ1001-2	2.0Ah	16.8V	0-450/ 0-2000r/min	10mm	60N.m	冲击电钻 Electric Impact Drill	0.79kg	275×214×100mm	10pcs
SDJ1301-2	ADJ1301-2	BDJ1301-2	2.0Ah	16.8V	0-450/ 0-2000r/min	13mm	60N.m	冲击电钻 Electric Impact Drill	0.93kg	275×214×100mm	10pcs
SDZ1002-2	ADZ1002-2	BDZ1002-2	2.0Ah	21V	0-450/ 0-2000r/min	10mm	70N.m	电钻 Electric Drill	1kg	336×249×100mm	8pcs
SDZ1002-4	ADZ1002-4	BDZ1002-4	4.0Ah	21V	0-450/ 0-2000r/min	10mm	70N.m	电钻 Electric Drill	1kg	336×249×100mm	8pcs
SDZ1302-2	ADZ1302-2	BDZ1302-2	2.0Ah	21V	0-450/ 0-2000r/min	13mm	70N.m	电钻 Electric Drill	1.1kg	336×249×100mm	8pcs
SDZ1302-4	ADZ1302-4	BDZ1302-4	4.0Ah	21V	0-450/ 0-2000r/min	13mm	70N.m	电钻 Electric Drill	1.1kg	336×249×100mm	8pcs
SDJ1002-2	ADJ1002-2	BDJ1002-2	2.0Ah	21V	0-450/ 0-2000r/min	10mm	70N.m	冲击电钻 Electric Impact Drill	1kg	336×249×100mm	8pcs
SDJ1002-4	ADJ1002-4	BDJ1002-4	4.0Ah	21V	0-450/ 0-2000r/min	10mm	70N.m	冲击电钻 Electric Impact Drill	1kg	336×249×100mm	8pcs
SDJ1302-2	ADJ1302-2	BDJ1302-2	2.0Ah	21V	0-450/ 0-2000r/min	13mm	70N.m	冲击电钻 Electric Impact Drill	1.1kg	336×249×100mm	8pcs
SDJ1302-4	ADJ1302-4	BDJ1302-4	4.0Ah	21V	0-450/ 0-2000r/min	13mm	70N.m	冲击电钻 Electric Impact Drill	1.1kg	336×249×100mm	8pcs
SDJ1003-4	ADJ1003-4	BDJ1003-4	4.0Ah	21V	0-450/ 0-2000r/min	10mm	120N.m	增强型冲击电钻 Enhanced Impact Drill	1kg	336×249×100mm	8pcs
SDJ1303-4	ADJ1303-4	BDJ1303-4	4.0Ah	21V	0-450/ 0-2000r/min	13mm	120N.m	增强型冲击电钻 Enhanced Impact Drill	1.1kg	336×249×100mm	8pcs
C级经济款 Economy Model			电池容量 Battery Capacity	额定电压 Rated Voltage	额定转速 Rated Speed	夹头直径 Chuck Diameter	最大扭矩 Maximum Torque	功能类型 Function Category	产品重量 Product Weight	包装尺寸 Package Size	装箱数量 Packing quantity
CDZ1001-2			1.3Ah/1.5Ah	16.8V	0-450/ 0-2000r/min	10mm	60N.m	电钻 Electric Drill	0.79kg	275×214×100mm	10pcs
CDZ1301-2			1.3Ah/1.5Ah	16.8V	0-450/ 0-2000r/min	13mm	60N.m	电钻 Electric Drill	0.93kg	275×214×100mm	10pcs
CDJ1001-2			1.3Ah/1.5Ah	16.8V	0-450/ 0-2000r/min	10mm	60N.m	冲击电钻 Electric Impact Drill	0.79kg	275×214×100mm	10pcs
CDJ1301-2			1.3Ah/1.5Ah	16.8V	0-450/ 0-2000r/min	13mm	60N.m	冲击电钻 Electric Impact Drill	0.93kg	275×214×100mm	10pcs
CDZ1002-2			1.3Ah/1.5Ah	21V	0-450/ 0-2000r/min	10mm	70N.m	电钻 Electric Drill	1kg	336×249×100mm	8pcs
CDZ1302-2			1.3Ah/1.5Ah	21V	0-450/ 0-2000r/min	10mm	70N.m	电钻 Electric Drill	1.1kg	336×249×100mm	8pcs
CDJ1002-2			1.3Ah/1.5Ah	21V	0-450/ 0-2000r/min	10mm	70N.m	冲击电钻 Electric Impact Drill	1kg	336×249×100mm	8pcs
CDJ1302-2			1.3Ah/1.5Ah	21V	0-450/ 0-2000r/min	10mm	70N.m	冲击电钻 Electric Impact Drill	1.1kg	336×249×100mm	8pcs

锂电紧固系列性能总览



旗舰款 Flagship S Grade	工业级 Industriallevel	专业级 Professionallevel	电池容量 Battery Capacity	额定电压 Rated Voltage	方榫尺寸 Square Tenon Size	螺栓规格 Bolt Specification	最大扭矩 Maximum Torque	功能类型 Function Category	产品重量 Product Weight	包装尺寸 Package Size	装箱数量 Packing quantity
SDB3801-4	ADB3801-4	BDB3801-4	4.0Ah	21V	12.7 (1/2")	M12-M18	380N.m	电扳手 Impact Wrench	1.21kg	350×122×88mm	8pcs
SDB3801-6	ADB3801-6	BDB3801-6	6.0Ah	21V	12.7 (1/2")	M12-M18	380N.m	电扳手 Impact Wrench	1.21kg	350×122×88mm	8pcs
SDB5501-4	ADB5501-4	BDB5501-4	4.0Ah	21V	12.7 (1/2")	M12-M18	550N.m	电扳手 Impact Wrench	1.21kg	350×122×88mm	8pcs
SDB5501-6	ADB5501-6	BDB5501-6	6.0Ah	21V	12.7 (1/2")	M12-M18	550N.m	电扳手 Impact Wrench	1.21kg	350×122×88mm	8pcs
SDB1028-2	ADB1028-2		2.0Ah	21V	12.7 (1/2")	M12-M18	280N.m	增强型电扳手 Enhanced Impact Wrench	1.21kg	350×122×88mm	8pcs
SDB1080-4	ADB1080-4		4.0Ah	21V	12.7 (1/2")	M12-M18	800N.m	增强型电扳手 Enhanced Impact Wrench	1.21kg	350×122×88mm	8pcs
SDB1300-6	ADB1300-6		6.0Ah	21V	12.7 (1/2")	M12-M18	1000-1300N.m	增强型电扳手 Enhanced Impact Wrench	1.21kg	350×122×88mm	8pcs
SDB2000-6	ADB2000-6		6.0Ah	21V	12.7 (1/2")	M12-M18	2000N.m	增强型电扳手 Enhanced Impact Wrench	1.21kg	350×122×88mm	8pcs

起子机

直流工具切割除尘系列

DC TOOL CUTTING AND DUST REMOVAL SERIES

ODD1501

锂电马刀锯/ Lithium-ion
Reciprocating Saw

- ◆多重减震 保护关节
- ◆Multiple shock absorption for joint protection
- ◆大功率聚能电机 高效切割
- ◆High - power energy - gathering motor high - efficiency cutting.
- ◆机身超高玻璃纤维含量 坚固更耐用
- ◆The fuselage has an extremely high glass fiber content being solid and more durable



ODD1501			
电池容量 Battery Capacity	4.0Ah	切割厚度 Cutting Thickness	
额定电压 Rated Voltage	21V~	木材 Wood	0-150mm
空载续航 Battery Life	200min	金属 Metal	0-8mm
往复次数 Reciprocating Frequency	0-3500rpm	塑料 Plastic	0-100mm
往复行程 Reciprocating Stroke	15mm	附件 Accessories	4.0Ah锂电池×2、充电器

ODD1502

锂电马刀锯/ Lithium-ion
Reciprocating Saw

- ◆多重减震 保护关节
- ◆Multiple shock absorption for joint protection
- ◆大功率聚能电机 高效切割
- ◆High - power energy - gathering motor high - efficiency cutting.
- ◆机身超高玻璃纤维含量 坚固更耐用
- ◆The fuselage has an extremely high glass fiber content being solid and more durable



ODD1502			
电池容量 Battery Capacity	4.0Ah	切割厚度 Cutting Thickness	
额定电压 Rated Voltage	21V~	木材 Wood	0-300mm
空载续航 Battery Life	200min	金属 Metal	0-16mm
往复次数 Reciprocating Frequency	0-3200rpm	塑料 Plastic	0-200mm
往复行程 Reciprocating Stroke	30mm	附件 Accessories	4.0Ah锂电池×2、充电器

ODF1201

锂电暴风机/ Lithium-ion
Industrial Blower

- ◆增压涡扇 风力强劲
- ◆The supercharged turbo fan provides strong wind power
- ◆动力平衡持久 耐高温不烧机
- ◆The power balance is long - lasting and it is high - temperature resistant without overheating the machine
- ◆多种场景 吹吸两用
- ◆Suitable for multiple scenarios with both blowing and suction functions.




ODF1201			
电池容量 Battery Capacity	4.0Ah	风 速 Air Speed	12-26m/s
额定电压 Rated Voltage	21V~	噪音大小 Noise level	极低
空载转速 No-load speed	0-19000r/min	产品重量 Product Weight	1.2kg
风 量 Air Volume	90-180m³/h		
附件 Accessories	4.0Ah锂电池×2、充电器、集风管、集尘袋		

ODF1202

锂电暴风机/ Lithium-ion
Industrial Blower

- ◆增压涡扇 风力强劲
- ◆The supercharged turbo fan provides strong wind power
- ◆动力平衡持久 耐高温不烧机
- ◆The power balance is long - lasting and it is high - temperature resistant without overheating the machine



ODF1202			
电池容量 Battery Capacity	4.0Ah	风 速 Air Speed	22-40m/s
额定电压 Rated Voltage	21V~	噪音大小 Noise level	低
空载转速 No-load speed	0-22500r/min	产品重量 Product Weight	1.7kg
风 量 Air Volume	340-680m³/h		
附件 Accessories	4.0Ah锂电池×2、充电器、集风管		

ODC2604

锂电电锤/ Lithium-ion
Electric Hammer

- ◆多重减震 保护关节
- ◆Multiple shock absorption for joint protection
- ◆大功率聚能电机 高效快速破拆
- ◆High - power energy - concentrated motor for efficient and fast demolition
- ◆高品质齿轮 超强承载 持久耐用
- ◆High - quality gears for exceptional bearing and durability



ODC2004

锂电电锤/ Lithium-ion
Electric Hammer

- ◆多重减震 保护关节
- ◆Multiple shock absorption for joint protection
- ◆大功率聚能电机 高效快速破拆
- ◆High - power energy - concentrated motor for efficient and fast demolition
- ◆高品质齿轮 超强承载 持久耐用
- ◆High - quality gears for exceptional bearing and durability



ODD2004			
电池容量 Battery Capacity	4.0Ah	空载转速 No-load speed	0-780r/min
额定电压 Rated Voltage	21V~	夹头直径 Chuck Diameter	26mm
冲击频率 Impact Frequency	0-4500bpm	产品重量 Product Weight	2.4kg
冲击能量 Impact Energy	1.5J		
附件 Accessories	4.0Ah锂电池×2、充电器		

ODD2604			
电池容量 Battery Capacity	4.0Ah	空载转速 No-load speed	0-1100r/min
额定电压 Rated Voltage	21V~	夹头直径 Chuck Diameter	26mm
冲击频率 Impact Frequency	0-4800bpm	产品重量 Product Weight	2.9kg
冲击能量 Impact Energy	1.8J		
附件 Accessories	4.0Ah锂电池×2、充电器		

OAG7601

锂电迷你角磨机/ Lithium-ion
Mini angle Grinder

- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy - gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



OAG7601			
电池容量 Battery Capacity	1.4Ah	空载转速 No-load speed	19500r/min
额定电压 Rated Voltage	12V~	载片直径 Carrier Diameter	76mm
主轴直径 Spindle Diameter	M5	产品重量 Product Weight	0.7kg
中心孔径 Bore size	10mm		
附件 Accessories	1.4Ah锂电池×2、充电器、砂轮罩		

OAG1025

锂电角磨机/ Lithium-ion
Angle Grinder

- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy - gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



OAG1025			
电池容量 Battery Capacity	4Ah	空载转速 No-load speed	11000r/min
额定电压 Rated Voltage	21V~	载片直径 Carrier Diameter	100mm
主轴直径 Spindle Diameter	M10/M14		
产品重量 Product Weight	1.14kg		
附件 Accessories	4Ah锂电池×2、充电器、砂轮罩		

OAG1225

锂电角磨机/ Lithium-ion
Angle Grinder

- ◆纤细机身 抓握舒适
- ◆Slim body comfortable to hold
- ◆大功率聚能电机 释放强悍动力
- ◆Energy - gathered motor release powerful power
- ◆WT进风口设计 长久作业不发烫
- ◆WT air inlet design ensures long-term operation without overheating



OAG1225			
电池容量 Battery Capacity	4Ah	空载转速 No-load speed	11000r/min
额定电压 Rated Voltage	21V~	载片直径 Carrier Diameter	125mm
主轴直径 Spindle Diameter	M14		
产品重量 Product Weight	1.34kg		
附件 Accessories	4Ah锂电池×2、充电器、砂轮罩		



ODL2001

锂电链锯/Lithium-ion Chainsaw

- ◆ 强劲无刷电机, 动力稳定输出, 寿命更长, 作业效率更高。
- ◆ Powerful brushless motor delivers stable output, longer service life and higher working efficiency.
- ◆ 一键链条调节设计, 无需工具快速调节, 操作简单, 省时省力。
- ◆ One-button chain adjustment design allows quick and easy operation without extra tools, saving time and effort.
- ◆ 自动供油系统, 持续润滑链条, 减少磨损。
- ◆ Automatic oil feeding system ensures continuous lubrication, reduces friction and extends chain life.
- ◆ 配备安全按键, 防止意外启动, 全方位保障使用安全。
- ◆ Equipped with safety button to prevent accidental start, ensuring safer operation for users.



ODL2001

电池容量	Battery Capacity	4.0Ah	链 速	chain Speed	5400r/min
额定电压	Rated Voltage	21V~			
最大功率	Maximum Power	680W			
导板尺寸	Guide Bar Size	150mm (6")	附 件	Accessories	4.0Ah锂电池×2、充电器、链条

ODL2002

锂电链锯/Lithium-ion Chainsaw

- ◆ 强劲无刷电机, 动力稳定输出, 寿命更长, 作业效率更高。
- ◆ Powerful brushless motor delivers stable output, longer service life and higher working efficiency.
- ◆ 一键链条调节设计, 无需工具快速调节, 操作简单, 省时省力。
- ◆ One-button chain adjustment design allows quick and easy operation without extra tools, saving time and effort.
- ◆ 自动供油系统, 持续润滑链条, 减少磨损。
- ◆ Automatic oil feeding system ensures continuous lubrication, reduces friction and extends chain life.
- ◆ 配备安全按键, 防止意外启动, 全方位保障使用安全。
- ◆ Equipped with safety button to prevent accidental start, ensuring safer operation for users.



ODL2002

电池容量	Battery Capacity	4.0Ah	链 速	chain Speed	5800r/min
额定电压	Rated Voltage	21V~			
最大功率	Maximum Power	680W			
导板尺寸	Guide Bar Size	150mm (6")	附 件	Accessories	4.0Ah锂电池×2、充电器、链条

ODL2003

锂电链锯/Lithium-ion Chainsaw

- ◆ 强劲无刷电机, 动力稳定输出, 寿命更长, 作业效率更高。
- ◆ Powerful brushless motor delivers stable output, longer service life and higher working efficiency.
- ◆ 一键链条调节设计, 无需工具快速调节, 操作简单, 省时省力。
- ◆ One-button chain adjustment design allows quick and easy operation without extra tools, saving time and effort.
- ◆ 自动供油系统, 持续润滑链条, 减少磨损。
- ◆ Automatic oil feeding system ensures continuous lubrication, reduces friction and extends chain life.
- ◆ 配备安全按键, 防止意外启动, 全方位保障使用安全。
- ◆ Equipped with safety button to prevent accidental start, ensuring safer operation for users.



ODL2003

电池容量	Battery Capacity	4.0Ah	链 速	chain Speed	5800r/min
额定电压	Rated Voltage	21V~			
最大功率	Maximum Power	680W			
导板尺寸	Guide Bar Size	200mm (8")	附 件	Accessories	4.0Ah锂电池×2、充电器、链条

ODL2005

锂电链锯/Lithium-ion Chainsaw

- ◆ 强劲无刷电机, 动力稳定输出, 寿命更长, 作业效率更高。
- ◆ Powerful brushless motor delivers stable output, longer service life and higher working efficiency.
- ◆ 一键链条调节设计, 无需工具快速调节, 操作简单, 省时省力。
- ◆ One-button chain adjustment design allows quick and easy operation without extra tools, saving time and effort.
- ◆ 自动供油系统, 持续润滑链条, 减少磨损。
- ◆ Automatic oil feeding system ensures continuous lubrication, reduces friction and extends chain life.



ODL2005

电池容量	Battery Capacity	6.0Ah	链 速	chain Speed	5300r/min
额定电压	Rated Voltage	21V~			
最大功率	Maximum Power	1600W			
导板尺寸	Guide Bar Size	300mm (12")	附 件	Accessories	6.0Ah锂电池×2、充电器、链条

ODL2006

锂电链锯/Lithium-ion Chainsaw

- ◆ 强劲无刷电机, 动力稳定输出, 寿命更长, 作业效率更高。
- ◆ Powerful brushless motor delivers stable output, longer service life and higher working efficiency.
- ◆ 一键链条调节设计, 无需工具快速调节, 操作简单, 省时省力。
- ◆ One-button chain adjustment design allows quick and easy operation without extra tools, saving time and effort.
- ◆ 自动供油系统, 持续润滑链条, 减少磨损。
- ◆ Automatic oil feeding system ensures continuous lubrication, reduces friction and extends chain life.



ODL2006

电池容量	Battery Capacity	10.0Ah	链 速	chain Speed	5800r/min
额定电压	Rated Voltage	40V~			
最大功率	Maximum Power	1900W			
导板尺寸	Guide Bar Size	300mm (14")	附 件	Accessories	10.0Ah锂电池×2、充电器、链条

ODL2007

锂电链锯/Lithium-ion Chainsaw

- ◆ 强劲无刷电机, 动力稳定输出, 寿命更长, 作业效率更高。
- ◆ Powerful brushless motor delivers stable output, longer service life and higher working efficiency.
- ◆ 一键链条调节设计, 无需工具快速调节, 操作简单, 省时省力。
- ◆ One-button chain adjustment design allows quick and easy operation without extra tools, saving time and effort.
- ◆ 自动供油系统, 持续润滑链条, 减少磨损。
- ◆ Automatic oil feeding system ensures continuous lubrication, reduces friction and extends chain life.



ODL2007

电池容量	Battery Capacity	10.0Ah	链 速	chain Speed	6000r/min
额定电压	Rated Voltage	40V~			
最大功率	Maximum Power	2100W			
导板尺寸	Guide Bar Size	406mm (16")	附 件	Accessories	10.0Ah锂电池×2、充电器、链条